

Name : Satish Kumar Jagannath Shetty
Lab. No. : 3022122270
Contract. : Nas (WN, VN) 10% - Dubai Branch
Patient No. : 30-85727
File No. : 33101

Sample Date : 16/12/2022 17:12 PM
Report Date : 16/12/2022 17:49 PM
Doctor references : Dr. Marvis Enyl

Branch : Al Borg Lab. Dubai Deirah **Age** : 49 Year **DOB** 22/08/1973 **Sex** : Male

Cholesterol/HDL/LDL/Triglycerides

Test	Result	Unit	Ref. Range
Cholesterol	330 H	mg/dl	No risk <200 Moderate risk 200 - 240 High risk >240

Comments

Primary sample: Serum
Methodology : Enzymatic colorimetric assay in the presence pf peroxidase.

Triglycerides (TG) in Serum	362 H	mg/dL	Normal<200
-----------------------------	-------	-------	------------

Comments

Primary sample: Serum
Methodology : Enzymatic colorimetric assay

HDL Cholesterol	53 L	mg/dL	Optimum level ≥ 60 Borderline risk: 40-59 High risk: <40
-----------------	------	-------	--

Comments

Primary sample: Serum
Methodology : HOMOgeneous Enzymatic colorimetric assay.

LDL Cholesterol	205 H	mg/dl	Optimal <100 Near optimal 100-129 Borderline high 130-159 High 160-189 Very high >189
-----------------	-------	-------	---

Comments

Sample type: Serum
Methodology: Calculation

*This is non-accredited test.

Name : Satish Kumar Jagannath Shetty
Lab. No. : 3022122270
Contract. : Nas (WN, VN) 10% - Dubai Branch
Patient No. : 30-85727
File No. : 33101

Sample Date : 16/12/2022 17:12 PM
Report Date : 16/12/2022 17:49 PM
Doctor references : Dr. Marvis Enyl

Branch : Al Borg Lab. Dubai Deirah **Age** : 49 Year **DOB** 22/08/1973 **Sex** : Male

Cholesterol/HDL/LDL/Triglycerides

Test	Result	Unit	Ref. Range
Non-HDL Cholesterol	277 H	mg/dL	very high >220 High 190-219 Borderline high 160-189 Near Ideal 130-159 Ideal for people at risk of heart disease <130 Ideal for people at very high risk of heart disease <100

Comments

Patients with elevated levels of non-HDL-C and normal levels of LDL-C, often have an increased number of LDL particles, increased apo B or increased small, dense LDL particles and these are associated with an increased risk of CVD. Therefore non-HDL-C might be more valuable indicator of cardiovascular risk than LDL-C.
 The treatment goal for non-HDL cholesterol in persons with high triglycerides (>199 mg/dl) is 30 mg/dl higher than their LDL cholesterol goal.

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical Pathology
 License no. 10944644-001

** End Of Report **

Name : Satish Kumar Jagannath Shetty Sample Date : 16/12/2022 17:12 PM
Lab. No. : 3022122270 Report Date : 16/12/2022 17:35 PM
Contract. : Nas (WN, VN) 10% - Dubai Branch Doctor references : Dr. Marvis Enyl
Patient No. : 30-85727
File No. : 33101

Branch : Al Borg Lab. Dubai Age : 49 Year DOB 22/08/1973 Sex : Male
Deirah

Chemistry Unit

Test	Result	Unit	Ref. Range
Glucose in Plasma (Random)	260	H mg/dl	70 - 200

Comments

Primary sample: Plasma
Methodology :Enzymatic reference method with hexokinase

**Please note new reference range

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
License no. 10944644-001

** End Of Report **

Verified By : Shailendra Rathod.MD

Printed By: System

All Rights Reserved © National Technology

Printed Date AM 10:23 17/12/2022

Page 1 Of 1

Powered by LDM www.nt-me.com

Name : Satish Kumar Jagannath Shetty
Lab. No. : 3022122270
Contract. : Nas (WN, VN) 10% - Dubai Branch
Patient No. : 30-85727
File No. : 33101

Sample Date : 16/12/2022 17:12 PM
Report Date : 16/12/2022 17:42 PM
Doctor references : Dr. Marvis Enyl

Branch : Al Borg Lab. Dubai Deirah Age : 49 Year DOB 22/08/1973 Sex : Male

Glycated Haemoglobin (HbA1c)

Test	Result	Unit	Ref. Range
Hb A1c % {According to (DCCT/ NGSP)}	12.1	%	(NGSP Standardized) Normal: 4 - 5.6 Prediabetic: 5.7 - 6.4 Diabetes: ≥ 6.5 Controlled Diabetes: <7
Mean of blood glucose (in the last 3 months)	301	mg/dl	

Comments

Primary sample: Whole blood
Methodology: Turbidimetric inhibition immunoassay(TINIA)

*This is non-accredited test.

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
License no. 10944644-001

** End Of Report **

Name : Satish Kumar Jagannath Shetty
Lab. No. : 3022122270
Contract. : Nas (WN, VN) 10% - Dubai Branch
Patient No. : 30-85727
File No. : 33101

Sample Date : 16/12/2022 17:12 PM
Report Date : 16/12/2022 17:25 PM
Doctor references : Dr. Marvis Enyl

Branch : Al Borg Lab. Dubai Deirah **Age** : 49 Year **DOB** 22/08/1973 **Sex** : Male

Complete Blood Count - (CBC)

Test	Result	Unit	Ref. Range
Hemoglobin	15.9	g/dL	13.5 - 17.5
Hematocrit	49.1	%	38.8 - 50
Red cell count	5.37	$\times 10^{12}/L$	4.32 - 5.72
MCV	91.4	fL	81.2 - 95.1
MCH	29.6	pg	26.5 - 32.6
MCHC	32.4	g/dL	32 - 36
RDW	11.8	%	11.8 - 15.6
Total Leucocytic Count	8.76	$\times 10^9/L$	3.5 - 10.5
Basophils absolute count	0.07	$\times 10^9/L$	0 - 0.3
Basophils relative count	0.80	%	
Eosinophils absolute count	0.41	$\times 10^9/L$	0.05 - 0.5
Eosinophils relative count	4.68	%	
Neutrophils absolute count	4.35	$\times 10^9/L$	1.7 - 7
Neutrophils relative count	49.66	%	
Lymphocytes absolute count	3.30	$\times 10^9/L$	0.9 - 3.1
Lymphocytes relative count	37.67	%	
Monocytes absolute count	0.63	$\times 10^9/L$	0.3 - 0.9
Monocytes relative count	7.19	%	

Name : Satish Kumar Jagannath Shetty
Lab. No. : 3022122270
Contract. : Nas (WN, VN) 10% - Dubai Branch
Patient No. : 30-85727
File No. : 33101

Sample Date : 16/12/2022 17:12 PM
Report Date : 16/12/2022 17:25 PM
Doctor references : Dr. Marvis Enyl

Branch : Al Borg Lab. Dubai Deirah Age : 49 Year DOB 22/08/1973 Sex : Male

Complete Blood Count - (CBC)

Test	Result	Unit	Ref. Range
Platelet Count	282	x10 ⁹ /L	150 - 450

Comments

Sample type: EDTA Whole Blood

Methodology: (Hemoglobin =Cyanmethemoglobin) (Hematocrit = Calculation) (RBC, PLT, WBC and Diff Count = Flow cytometry)

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
License no. 10944644-001

** End Of Report **

Name : Satish Kumar Jagannath Shetty
Lab. No. : 3022122270
Contract. : Nas (WN, VN) 10% - Dubai Branch
Patient No. : 30-85727
File No. : 33101

Sample Date : 16/12/2022 17:12 PM
Report Date : 16/12/2022 17:29 PM
Doctor references : Dr. Marvis Enyl

Branch : Al Borg Lab. Dubai Deirah Age : 49 Year DOB 22/08/1973 Sex : Male

C-Reactive Protein (CRP)

Test	Result	Unit	Ref. Range
C-Reactive Protein (CRP)	11.49	mg/L	0 - 5

Comments

Sample Type: Serum
Methodology: Particle Enhanced Turbidimetric assay

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
License no. 10944644-001

** End Of Report **