

Name : Harley Bolong Ramos
Lab. No. : 3023124068
Contract. : Neuron (ENAYA & SAADA) - Dubai
Patient No. : 30-86978
File No. : 36981
Sample Date : 06/01/2023 14:38 PM
Report Date : 06/01/2023 15:51 PM
Doctor references : Dr. Marvis Enyl
Branch : Al Borg Lab. Dubai Deirah
Age : 35 Year
DOB 10/09/1988
Sex : Male

Urine Analysis

Test	Result	Unit	Ref. Range
Urine Physical Examination			
Colour	Yellow		Yellow
Aspect	Slightly Turbid		Clear
Specific Gravity	1.020		1.005 - 1.028
pH	6.0		5 - 8
Leucocyte esterase	Absent		Absent
Nitrite	Absent		Absent
Protein	Absent		Absent
Glucose	Absent		Absent
Ketones	Absent		Absent
Urobilinogen	Normal Trace		Trace
Bilirubin	Absent		Absent
Blood and Haemoglobin	Absent		Absent
Urine Microscopic Examination			
W. B. Cs / HPF	1-2	cells	0 - 7
R. B. Cs / HPFs	0-2	cells	0 - 6
Epithelial Cells / HPF	Few	cells	Few to some cells
Casts	Absent		Absent
Crystals	Absent		Absent
Amorphous Elements	Absent		Absent

Comments

Sample type: Urine

Methodology
Semi-automatic benchtop instrument Combiscreen 11SYS

*This is non-accredited test.

Comments Others : Mucus threads (+)
Spermatozoa (+)

Printed By: System

Page

1 Of 2

PM :Printed Date 17:56 06/01/2023

All Rights Reserved © National Technology

Powered by LDM www.nt-me.com

Name : Harley Bolong Ramos Sample Date : 06/01/2023 14:38 PM
Lab. No. : 3023124068 Report Date : 06/01/2023 15:51 PM
Contract. : Neuron (ENAYA & SAADA) - Dubai Doctor references : Dr. Marvis Enyl
Branch - 20% Co-Pay
Patient No. : 30-86978
File No. : 36981

Branch : Al Borg Lab. Dubai Age : 35 Year DOB 10/09/1988 Sex : Male
Deirah

Urine Analysis

Test	Result	Unit	Ref. Range
------	--------	------	------------

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
License no. 10944644-001

** End Of Report **

Sample Date : 06/01/2023 14:38 PM
Report Date : 06/01/2023 15:35 PM
Doctor references : Dr. Marvis Enyl

Branch	: Al Borg Lab. Dubai Deirah	Age	: 35 Year	DOB	10/09/1988	Sex	: Male
---------------	------------------------------------	------------	------------------	------------	-------------------	------------	---------------

Complete Blood Count - (CBC)

Test	Result	Unit	Ref. Range
Hemoglobin	13.6	g/dL	13.5 - 17.5
Hematocrit	42.7	%	38.8 - 50
Red cell count	5.00	x10 ¹² /L	4.32 - 5.72
MCV	85.4	fL	81.2 - 95.1
MCH	27.2	pg	26.5 - 32.6
MCHC	31.9	L g/dL	32 - 36
RDW	12.0	%	11.8 - 15.6
Total Leucocytic Count	6.67	x10 ⁹ /L	3.5 - 10.5
Basophils absolute count	0.03	x10 ⁹ /L	0 - 0.3
Basophils relative count	0.45	%	
Eosinophils absolute count	0.13	x10 ⁹ /L	0.05 - 0.5
Eosinophils relative count	1.95	%	
Neutrophils absolute count	3.53	x10 ⁹ /L	1.7 - 7
Neutrophils relative count	52.92	%	
Lymphocytes absolute count	2.49	x10 ⁹ /L	0.9 - 3.1
Lymphocytes relative count	37.33	%	
Monocytes absolute count	0.49	x10 ⁹ /L	0.3 - 0.9
Monocytes relative count	7.35	%	

Name : Harley Bolong Ramos Sample Date : 06/01/2023 14:38 PM
Lab. No. : 3023124068 Report Date : 06/01/2023 15:35 PM
Contract. : Neuron (ENAYA & SAADA) - Dubai Doctor references : Dr. Marvis Enyl
Branch - 20% Co-Pay
Patient No. : 30-86978
File No. : 36981

Branch : Al Borg Lab. Dubai Age : 35 Year DOB 10/09/1988 Sex : Male
Deirah

Complete Blood Count - (CBC)

Test	Result	Unit	Ref. Range
Platelet Count	222	x10 ⁹ /L	150 - 450

Comments

Sample type: EDTA Whole Blood

Methodology: (Hemoglobin =Cyanmethemoglobin) (Hematocrit = Calculation) (RBC, PLT, WBC and Diff Count = Flow cytometry)

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
License no. 10944644-001

**** End Of Report ****

Name : Harley Bolong Ramos
Lab. No. : 3023124068
Contract. : Neuron (ENAYA & SAADA) - Dubai
Branch - 20% Co-Pay
Patient No. : 30-86978
File No. : 36981

Sample Date : 06/01/2023 14:38 PM
Report Date : 06/01/2023 15:31 PM
Doctor references : Dr. Marvis Enyl

Branch : Al Borg Lab. Dubai
Deirah Age : 35 Year DOB 10/09/1988 Sex : Male

C-Reactive Protein (CRP)

Test	Result	Unit	Ref. Range
C-Reactive Protein (CRP)	1.91	mg/L	0 - 5

Comments

Sample Type: Serum
Methodology: Particle Enhanced Turbidimetric assay

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
License no. 10944644-001

**** End Of Report ****