

Name : Naqib Ullah
Lab. No. : 3023124531
Contract. : Peshawer medical L.L.C
Patient No. : 30-87319
File No. : 30647

Sample Date : 11/01/2023 15:41 PM
Report Date : 12/01/2023 13:35 PM
Doctor references : Dr. Tahniyat Iqbal

Branch : Al Borg Lab. Age : 28 Year DOB : 01/01/1995 Sex : Male
Dubai Deirah

Chemistry Unit

Test	Result	Unit	Ref. Range	Lab
T3	1.6	nmol/l	1.3 - 3.1	BUH

Comments

Sample Type: Serum
Methodology: Chemiluminescence immunoassay

T4	5.85	ug/dl	4.87 - 11.72	BUH
----	------	-------	--------------	-----

Comments

Sample Type: Serum
Methodology: Chemiluminescence immunoassay

Thyroid Stimulating Hormone (TSH)	0.75	uIU/mL	0.27 - 4.2	
-----------------------------------	------	--------	------------	--

Comments

Note: TSH Reference range in pregnant women is varied according to the gestational age:

- First trimester: 0.100-2.500 uIU/mL
- Second trimester: 0.200-3.000 uIU/mL
- Third trimester: 0.300-3.000 uIU/mL

Primary sample: Serum
Methodology: Electrochemiluminescence

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
License no. 10944644-001

BUH : This test was outsourced to Al Borg Medical Laboratories - Abu Dhabi, UAE

** End Of Report **

Verified By : Ahmed M. Awad.MD.PhD ,Shailendra
Rathod.MD ,Tasneem M Mukri
Printed By: Mohamed Abu Naser

Printed Date PM 17:20 15/01/2023