

Name : Akukweti Shamsa Juma
Lab. No. : 3023124393
Contract. : Peshawer medical L.L.C
Patient No. : 30-87237
File No. : 39114

Sample Date : 09/01/2023 22:25 PM
Report Date : 10/01/2023 09:36 AM

Branch : Al Borg Lab. Dubai Deirah	Age : 31 Year	DOB 02/07/1992	Sex : Female
---	----------------------	-----------------------	---------------------

Complete Blood Count - (CBC)

Test	Result	Unit	Ref. Range
Hemoglobin	13.5	g/dL	12 - 15.5
Hematocrit	41.3	%	34.9 - 44.5
Red cell count	4.58	$\times 10^{12}/L$	3.9 - 5.03
MCV	90.2	fL	81.6 - 98.3
MCH	29.5	pg	26.5 - 32.6
MCHC	32.7	g/dL	32 - 36
RDW	12.1	%	11.9 - 15.5
Total Leucocytic Count	10.15	$\times 10^9/L$	3.5 - 10.5
Basophils absolute count	0.05	$\times 10^9/L$	0 - 0.3
Basophils relative count	0.49	%	
Eosinophils absolute count	0.11	$\times 10^9/L$	0.05 - 0.5
Eosinophils relative count	1.08	%	
Neutrophils absolute count	5.09	$\times 10^9/L$	1.7 - 7
Neutrophils relative count	50.15	%	
Lymphocytes absolute count	4.21	$\times 10^9/L$	0.9 - 3.1
Lymphocytes relative count	41.48	%	
Monocytes absolute count	0.69	$\times 10^9/L$	0.3 - 0.9
Monocytes relative count	6.80	%	

Name : Akukweti Shamsa Juma
Lab. No. : 3023124393
Contract. : Peshawer medical L.L.C
Patient No. : 30-87237
File No. : 39114

Sample Date : 09/01/2023 22:25 PM
Report Date : 10/01/2023 09:36 AM

Branch : Al Borg Lab. Dubai Deirah Age : 31 Year DOB 02/07/1992 Sex : Female

Complete Blood Count - (CBC)

Test	Result	Unit	Ref. Range
Platelet Count	345	x10 ⁹ /L	150 - 450

Comments

Sample type: EDTA Whole Blood

Methodology: (Hemoglobin =Cyanmethemoglobin) (Hematocrit = Calculation) (RBC, PLT, WBC and Diff Count = Flow cytometry)

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
License no. 10944644-001

** End Of Report **

Name : Akukweti Shamsa Juma
Lab. No. : 3023124393
Contract. : Peshawer medical L.L.C
Patient No. : 30-87237
File No. : 39114

Sample Date : 09/01/2023 22:25 PM
Report Date : 10/01/2023 11:01 AM

Branch : Al Borg Lab. Dubai Deirah Age : 31 Year DOB 02/07/1992 Sex : Female

Chemistry Unit

Test	Result	Unit	Ref. Range
Thyroid Stimulating Hormone (TSH)	1.72	uIU/mL	0.27 - 4.2

Comments

Note: TSH Reference range in pregnant women is varied according to the gestational age:
• First trimester: 0.100-2.500 uIU/mL
• Second trimester: 0.200-3.000 uIU/mL
• Third trimester: 0.300-3.000 uIU/mL
Primary sample: Serum
Methodology: Electrochemiluminescence

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
License no. 10944644-001

**** End Of Report ****

Verified By : Shailendra Rathod.MD

Printed By: System

All Rights Reserved © National Technology

Printed Date AM 11:22 21/01/2023

Page 1 Of 1

Powered by LDM www.nt-me.com

Name : Akukweti Shamsa Juma
Lab. No. : 3023124393
Contract. : Peshawer medical L.L.C
Patient No. : 30-87237
File No. : 39114

Sample Date : 09/01/2023 22:25 PM
Report Date : 12/01/2023 13:21 PM

Branch : Al Borg Lab. Dubai Deirah Age : 31 Year DOB 02/07/1992 Sex : Female

Infectious Immunology unit

Test	Result	Unit	Ref. Range	Lab
Rubella (IgG)	100.0 H	IU/ml	0 - 5 0.0 - 4.9 : Nonreactive 5.0 - 9.9 : Grayzone ≥ 10.0 : Reactive	BUH

Comments

Sample type: Serum
Methodology: Chemiluminescence Immunoassay

*This is non-accredited test.

HIV P24 Ag And Abs (HIV Combo)	Nonreactive	Nonreactive
--------------------------------	-------------	-------------

Comments

Sample type: Serum
Methodology: ElectroChemiluminescence Immunoassay.

This test is only a screening test

*This is non-accredited test.

Hepatitis B surface (HBs) Ag	Nonreactive	0 - 0.9 Nonreactive
------------------------------	-------------	------------------------

Comments

Primary sample: Serum
Methodology: ElectroChemiluminescence Immunoassay.

This test is only a screening test

*This is non-accredited test.

Hepatitis C Virus (HCV) Abs	Nonreactive	Nonreactive
-----------------------------	-------------	-------------

Comments

Primary sample: Serum
Methodology: ElectroChemiluminescence Immunoassay.

This test is only a screening test

*This is non-accredited test.

Name : Akukweti Shamsa Juma
Lab. No. : 3023124393
Contract. : Peshawer medical L.L.C
Patient No. : 30-87237
File No. : 39114

Sample Date : 09/01/2023 22:25 PM
Report Date : 12/01/2023 13:21 PM

Branch : Al Borg Lab. Dubai Deirah Age : 31 Year DOB 02/07/1992 Sex : Female

Infectious Immunology unit

Test	Result	Unit	Ref. Range	Lab
VDRL (Performed as RPR)	Non reactive		Non reactive	

Comments

- A non reactive result does not exclude the diagnosis of syphilis.
- Diagnosis should integrate both clinical and laboratory data

Methodology: the test is based on slide agglutination

*This test was outsourced to an accredited laboratory.

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
License no. 10944644-001

BUH : This test was outsourced to Al Borg Medical Laboratories - Abu Dhabi, UAE

** End Of Report **

Name : Akukweti Shamsa Juma
Lab. No. : 3023124393
Contract. : Peshawer medical L.L.C
Patient No. : 30-87237
File No. : 39114

Sample Date : 09/01/2023 22:25 PM
Report Date : 15/01/2023 17:10 PM

Branch : Al Borg Lab. Dubai Deirah	Age : 31 Year	DOB 02/07/1992	Sex : Female
------------------------------------	---------------	----------------	--------------

Urine Culture

Isolation Organisms:

Report:
No growth after 48 hours of incubation.

*This test was outsourced to an accredited laboratory.

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
License no. 10944644-001

** End Of Report **

Name : Akukweti Shamsa Juma
Lab. No. : 3023124393
Contract. : Peshawer medical L.L.C
Patient No. : 30-87237
File No. : 39114

Sample Date : 09/01/2023 22:25 PM
Report Date : 10/01/2023 16:13 PM

Branch : Al Borg Lab. Dubai Deirah **Age** : 31 Year **DOB** 02/07/1992 **Sex** : Female

Urine Analysis

Test	Result	Unit	Ref. Range
Urine Physical Examination			
Colour	Yellow		Yellow
Aspect	Turbid		Clear
Specific Gravity	1.030	H	1.005 - 1.028
pH	5.0		5 - 8
Leucocyte esterase	Absent		Absent
Nitrite	Absent		Absent
Protein	Absent		Absent
Glucose	Absent		Absent
Ketones	Present (+)		Absent
Urobilinogen	Normal Trace		Trace
Bilirubin	Absent		Absent
Blood and Haemoglobin	Present (+)		Absent
Urine Microscopic Examination			
W. B. Cs / HPF	2-4	cells	0 - 7
R. B. Cs / HPFs	3-5	cells	0 - 6
Epithelial Cells / HPF	Many	cells	Few to some cells
Casts	Absent		Absent
Crystals	Absent		Absent

Name : Akukweti Shamsa Juma
Lab. No. : 3023124393
Contract. : Peshawer medical L.L.C
Patient No. : 30-87237
File No. : 39114

Sample Date : 09/01/2023 22:25 PM
Report Date : 10/01/2023 16:13 PM

Branch : Al Borg Lab. Dubai Deirah Age : 31 Year DOB 02/07/1992 Sex : Female

Urine Analysis

Test	Result	Unit	Ref. Range
Amorphous Elements	Amorphous Urates (+++)		Absent

Comments

Sample type: Urine

Methodology
Semi-automatic benchtop instrument Combiscreen 11SYS

*This is non-accredited test.

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
License no. 10944644-001

** End Of Report **

Name : Akukweti Shamsa Juma
Lab. No. : 3023124393
Contract. : Peshawer medical L.L.C
Patient No. : 30-87237
File No. : 39114

Sample Date : 09/01/2023 22:25 PM
Report Date : 10/01/2023 18:22 PM

Branch : Al Borg Lab. Dubai Deirah Age : 31 Year DOB 02/07/1992 Sex : Female

ABO & Rh

Test	Result
Blood Group	" A "
Rh	POSITIVE

Comments

Primary sample: Whole blood
Methodology: Forward Slide Method and Reverse Tube Method.

*This is non-accredited test.

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
License no. 10944644-001

** End Of Report **

Name : Akukweti Shamsa Juma Sample Date : 09/01/2023 22:25 PM
Lab. No. : 3023124393 Report Date : 12/01/2023 19:32 PM
Contract. : Peshawer medical L.L.C
Patient No. : 30-87237
File No. : 39114

Branch : Al Borg Lab. Dubai Age : 31 Year DOB 02/07/1992 Sex : Female
Deirah

Haematology Unit

Test	Result	Ref. Range	Lab
Antibody Screening (Indirect Coombs)	Negative	Negative	BUH

Comments

If the patient is Rh Negative and pregnant for a second time (or more), follow up indirect Coomb's test is recommend.
Hemolysis of the specimen invalidates results. Transfusion of red blood cells within the last 3 weeks may cause false-negative results.

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
License no. 10944644-001

BUH : This test was outsourced to Al Borg Medical Laboratories - Abu Dhabi, UAE

** End Of Report **

Verified By : Asia Begum

Printed By: System

All Rights Reserved © National Technology

Printed Date AM 11:22 21/01/2023

Page 1 Of 1

Powered by LDM www.nt-me.com