

Name : Fatima Hussein Hawili
Lab. No. : 3023125331
Contract. : Peshawer medical L.L.C
Patient No. : 30-87882
File No. : 39206

Sample Date : 20/01/2023 20:58 PM
Report Date : 22/01/2023 15:10 PM

Branch : Al Borg Lab. Dubai Deirah Age : 29 Year DOB 09/06/1994 Sex : Female

Infectious Immunology unit

Test	Result	Unit	Ref. Range	Lab
Hepatitis B surface (HBs) Abs	> 1000.00	mIU/mL	< 10 : Negative ≥ 10 : Positive	BUH

Comments

Sample Type: Serum

Methodology: Chemiluminescence Microparticle Immunoassay(CMIA).

According to WHO recommendation Anti HBS greater than or equal to 10 mIU/mL is regarding protective against Hepatitis B Virus infection.

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical Pathology
License no. 10944644-001

BUH : This test was outsourced to Al Borg Medical Laboratories - Abu Dhabi, UAE

**** End Of Report ****

Verified By : Ahmed M. Awad.MD.PhD

Printed By: System

All Rights Reserved © National Technology

Printed Date PM 19:28 24/01/2023

Page 1 Of 1

Powered by LDM www.nt-me.com