

Name : Fakhar Islam Bhatti Muhammad Ibrahim Bhatti
Lab. No. : 3023125969
Contract. : Nas (WN, VN) 20% - Dubai Branch
Patient No. : 30-88352
File No. : 39275

Sample Date : 30/01/2023 11:49 AM
Report Date : 30/01/2023 12:53 PM
Doctor references : Dr. Tahniyat Iqbal

Branch : Al Borg Lab. Dubai Deirah Age : 81 Year DOB 06/03/1942 Sex : Male

Chemistry Unit

Test	Result	Unit	Ref. Range
Blood Urea Nitrogen (BUN)	65.8	H mg/dl	8 - 23

Comments

Sample type: Serum
Methodology: Kinetic test with urease and glutamate dehydrogenase

Creatinine in Serum	2.01	H mg/dl	0.67 - 1.17
---------------------	------	---------	-------------

Comments

Sample type: Serum
Methodology : Kinetic colorimetric assay Jaffe method with picrate in alkaline solution.

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
License no. 10944644-001

**** End Of Report ****

Name : Fakhar Islam Bhatti Muhammad Ibrahim Bhatti
Lab. No. : 3023125969
Contract. : Nas (WN, VN) 20% - Dubai Branch
Patient No. : 30-88352
File No. : 39275
Sample Date : 30/01/2023 11:49 AM
Report Date : 30/01/2023 12:23 PM
Doctor references : Dr. Tahniyat Iqbal

Branch : Al Borg Lab. Dubai Deirah
Age : 81 Year
DOB 06/03/1942
Sex : Male

Tumors Immunology unit

Test	Result	Unit	Ref. Range
Prostatic Specific Antigen (PSA) Total	0.16	ng/mL	Less Than 4

Comments

Methodology: ElectroChemiluminescence Immunoassay
 Primary sample: Serum

When total prostate-specific antigen (PSA) concentration is <2.0 ng/mL, the probability of prostate cancer in asymptomatic patient is low, further testing and free PSA may provide little additional information. When total PSA concentration is >10.0 ng/mL, the probability of cancer is high and prostate biopsy is generally recommended. The total PSA range of 4.0-10.0 ng/mL has been described as a "gray zone," in which the free: total PSA ratio helps to determine the relative risk of prostate cancer.

*This is non-accredited test.

Reviewed By:



Dr. Shailendra Rathod.MD
 Laboratory Director
 Physician Specialist Clinical
 Pathology
 License no. 10944644-001

** End Of Report **

Verified By : Shailendra Rathod.MD

Printed By: System

All Rights Reserved © National Technology

Printed Date PM 16:06 30/01/2023

Page 1 Of 1

Powered by LDM www.nt-me.com