

Name : Syed Arsalan Javed
Lab. No. : 3023126278
Contract. : Nas (WN, VN)-Dubai Branch
Patient No. : 30-88581
File No. : 38627

Sample Date : 02/02/2023 17:35 PM
Report Date : 02/02/2023 19:01 PM
Doctor references : Dr. Tahniyat Iqbal

Branch : Al Borg Lab. Dubai Deirah **Age** : 32 Year **DOB** 17/09/1991 **Sex** : Male

Cholesterol/HDL/LDL/Triglycerides

Test	Result	Unit	Ref. Range
Cholesterol	224 H	mg/dl	No risk <200 Moderate risk 200 - 240 High risk >240

Comments

Primary sample: Serum
 Methodology : Enzymatic colorimetric assay in the presence pf peroxidase.

Triglycerides (TG) in Serum	150	mg/dL	Normal<200
-----------------------------	-----	-------	------------

Comments

Primary sample: Serum
 Methodology : Enzymatic colorimetric assay

HDL Cholesterol	40 L	mg/dL	Optimum level ≥ 60 Borderline risk: 40-59 High risk: <40
-----------------	------	-------	--

Comments

Primary sample: Serum
 Methodology : HOMOgeneous Enzymatic colorimetric assay.

LDL Cholesterol	154 H	mg/dl	Optimal <100 Near optimal 100-129 Borderline high 130-159 High 160-189 Very high >189
-----------------	-------	-------	---

Comments

Sample type: Serum
 Methodology: Calculation

*This is non-accredited test.

Name : Syed Arsalan Javed
Lab. No. : 3023126278
Contract. : Nas (WN, VN)-Dubai Branch
Patient No. : 30-88581
File No. : 38627

Sample Date : 02/02/2023 17:35 PM
Report Date : 02/02/2023 19:01 PM
Doctor references : Dr. Tahniyat Iqbal

Branch : Al Borg Lab. Dubai Deirah **Age** : 32 Year **DOB** 17/09/1991 **Sex** : Male

Cholesterol/HDL/LDL/Triglycerides

Test	Result	Unit	Ref. Range
Non-HDL Cholesterol	184 H	mg/dL	very high >220 High 190-219 Borderline high 160-189 Near Ideal 130-159 Ideal for people at risk of heart disease <130 Ideal for people at very high risk of heart disease <100

Comments

Patients with elevated levels of non-HDL-C and normal levels of LDL-C, often have an increased number of LDL particles, increased apo B or increased small, dense LDL particles and these are associated with an increased risk of CVD. Therefore non-HDL-C might be more valuable indicator of cardiovascular risk than LDL-C.
 The treatment goal for non-HDL cholesterol in persons with high triglycerides (>199 mg/dl) is 30 mg/dl higher than their LDL cholesterol goal.

Reviewed By:



Dr. Shailendra Rathod.MD
 Laboratory Director
 Physician Specialist Clinical
 Pathology
 License no. 10944644-001

** End Of Report **

Name : Syed Arsalan Javed
Lab. No. : 3023126278
Contract. : Nas (WN, VN)-Dubai Branch
Patient No. : 30-88581
File No. : 38627

Sample Date : 02/02/2023 17:35 PM
Report Date : 02/02/2023 18:34 PM
Doctor references : Dr. Tahniyat Iqbal

Branch : Al Borg Lab. Dubai Deirah Age : 32 Year DOB 17/09/1991 Sex : Male

Chemistry Unit

Test	Result	Unit	Ref. Range
Thyroid Stimulating Hormone (TSH)	3.67	uIU/mL	0.27 - 4.2

Comments

Note: TSH Reference range in pregnant women is varied according to the gestational age:
• First trimester: 0.100-2.500 uIU/mL
• Second trimester: 0.200-3.000 uIU/mL
• Third trimester: 0.300-3.000 uIU/mL
Primary sample: Serum
Methodology: Electrochemiluminescence

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
License no. 10944644-001

**** End Of Report ****

Verified By : Shailendra Rathod.MD

Printed By: System

All Rights Reserved © National Technology

Printed Date PM 19:09 02/02/2023

Page 1 Of 1

Powered by LDM www.nt-me.com