

Name : Wafa Naim Modad
Lab. No. : 3023128748
Contract. : Peshawer medical L.L.C
Patient No. : 30-90244
File No. : 38784

Sample Date : 06/03/2023 14:09 PM
Report Date : 08/03/2023 10:32 AM

Branch : Al Borg Lab. Dubai Deirah **Age** : 67 Year **DOB** 07/09/1956 **Sex** : Female

Autoimmune diseases unit

Test	Result	Unit	Ref. Range	Lab
Anti Thyroid Peroxidase Abs (TPO)	< 0.21	IU/ml	Less Than 5.6	BUH

Comments

Sample Type: Serum
Methodology: Chemiluminescence immunoassay

Anti Thyroglobulin Abs	0.41	IU/ml	Less Than 4.11	BUH
------------------------	------	-------	----------------	-----

Comments

Sample Type: Serum
Methodology: Chemiluminescence immunoassay

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical Pathology
License no. 10944644-001

BUH : This test was outsourced to Al Borg Medical Laboratories - Abu Dhabi, UAE

** End Of Report **

Name : Wafa Naim Modad
Lab. No. : 3023128748
Contract. : Peshawer medical L.L.C
Patient No. : 30-90244
File No. : 38784

Sample Date : 06/03/2023 14:09 PM
Report Date : 07/03/2023 11:22 AM

Branch : Al Borg Lab. Dubai Deirah **Age** : 67 Year **DOB** 07/09/1956 **Sex** : Female

Chemistry Unit

Test	Result	Unit	Ref. Range	Lab
T3	1.03	ng/mL	0.58 - 1.59	BUH

Comments

Sample Type: Serum
 Methodology: Chemiluminescence immunoassay

T4	8.42	ug/dl	4.87 - 11.72	BUH
----	------	-------	--------------	-----

Comments

Sample Type: Serum
 Methodology: Chemiluminescence immunoassay

Thyroid Stimulating Hormone (TSH)	1.61	uIU/mL	0.27 - 4.2	
-----------------------------------	------	--------	------------	--

Comments

Note: TSH Reference range in pregnant women is varied according to the gestational age:
 • First trimester: 0.100-2.500 uIU/mL
 • Second trimester: 0.200-3.000 uIU/mL
 • Third trimester: 0.300-3.000 uIU/mL
 Primary sample: Serum
 Methodology: Electrochemiluminescence

Reviewed By:



Dr. Shailendra Rathod.MD
 Laboratory Director
 Physician Specialist Clinical
 Pathology
 License no. 10944644-001

BUH : This test was outsourced to Al Borg Medical Laboratories - Abu Dhabi, UAE

** End Of Report **

Verified By : Ahmed M. Awad.MD.PhD , Louise Ruth

Printed By: System

Printed Date PM 18:51 08/03/2023

All Rights Reserved © National Technology

Page 1 Of 1

Powered by LDM www.nt-me.com