

LABORATORY REPORT

Name	: AVINASH CLARENCE DSOUZA	File. No.	: AAL02-293199
DOB/Gender	: 28-04-1984 (38 Yrs 10 Month 22 Days/Male)	Referral Doctor	: Dr. Tahniyat Iqbal
Lab No.	: 22230800143	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 21-03-2023 12:55	Clinic File No	: 34870
Insurance	: No		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Glucose - Fasting	100.17 ^H	mg/dL	70 - 100	Hexokinase/G-6-PDH

According to American Diabetes Association 2010, fasting plasma glucose (FPG) levels of (100-125 mg/dl) are in the increased risk category for diabetes.

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Fluoride Plasma

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 21-03-2023 12:00:00
Authenticated On : 21-03-2023 14:10:01
Printed On : 21-03-2023 22:56:47

Received On : 21-03-2023 12:55:00
Released On : 21-03-2023 14:48:54
Reprinted On : 22-03-2023 10:19:53

Pring

Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: AVINASH CLARENCE DSOUZA	File. No.	: AAL02-293199
DOB/Gender	: 28-04-1984 (38 Yrs 10 Month 22 Days/Male)	Referral Doctor	: Dr. Tahniyat Iqbal
Lab No.	: 22230800143	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 21-03-2023 12:55	Clinic File No	: 34870
Insurance	: No		

**LIPID PROFILE I
CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
Cholesterol (serum)	200.7^H	mg/dL	Desirable: < 200 Border High: 200 - 239 High: >= 240	Enzymatic
Triglycerides (serum)	67.0	mg/dL	Normal: < 150 Borderline High: 150 - 199 High: 200 - 499 Very High: >= 500	Glycerol Phosphate Oxidase
HDL Cholesterol	43.3	mg/dL	> 40.0	Accelerator Selective Detergent
LDL Cholesterol	150.6^H	mg/dL	Optimal: < 100 Near Optimal: 100 - 129 Borderline High: 130 - 159 High: 160 - 189 Very High: >= 190	Liquid Selective detergent
*VLDL	6.8	mg/dL	5.0 - 30.0	Calculation
*Cholesterol / HDL	4.6^H	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: > 6	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 21-03-2023 12:00:00
Authenticated On : 21-03-2023 14:10:01
Printed On : 21-03-2023 22:56:47

Received On : 21-03-2023 12:55:00
Released On : 21-03-2023 14:48:54
Reprinted On : 22-03-2023 10:19:53

Pring

Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822