

LABORATORY REPORT

Name	: SANIYA NAVEEN SALJIT ANTHOLI KALATHIL	File. No.	: AAL02-293196
DOB/Gender	: 22-10-1989 (33 Yrs 5 Month /Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22230800139	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 21-03-2023 12:49	Clinic File No	: 38887
Insurance	: No		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	4.95 ^H	10 ¹² /L	3.80 - 4.80	Hydrodynamic focusing (DC Detection)
Haemoglobin	11.9 ^L	g/dl	12.0 - 15.0	Photometry-SLS
HCT	36.2	%	36.0 - 46.0	Hydrodynamic focusing
MCV	73.1 ^L	fl	83.0 - 101.0	Calculation
MCH	24.0 ^L	pg	27-32	Calculation
MCHC	32.9	g/dL	31.5 - 34.5	Calculation
Platelet Count	322	10 ³ /uL	150-400	Hydrodynamic Focusing(DCD)
WBC	6.46	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	53.0	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	35.3	%	20.0 - 40.0	Flow Cytometry
Monocytes	9.0	%	2-10	Flow Cytometry
Eosinophils	2.2	%	1 - 6	Flow Cytometry
Basophils	0.5	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	3.43	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	2.28	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.58	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.14	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.03	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 21-03-2023 11:00:00
Authenticated On : 21-03-2023 13:36:20
Printed On : 21-03-2023 22:56:42

Received On : 21-03-2023 12:50:00
Released On : 21-03-2023 13:37:02
Reprinted On : 22-03-2023 10:18:17

Prings

Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: SANIYA NAVEEN SALJIT ANTHOLI KALATHIL	File. No.	: AAL02-293196
DOB/Gender	: 22-10-1989 (33 Yrs 5 Month /Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22230800139	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 21-03-2023 12:49	Clinic File No	: 38887
Insurance	: No		

Test Name	Result	Units	Ref. Range	Method
Recommended to do peripheral smear, iron studies and thalassemia screening. Test result to be interpreted in the light of clinical history and to be investigated further if necessary.				

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 21-03-2023 11:00:00
Authenticated On : 21-03-2023 13:36:20
Printed On : 21-03-2023 22:56:42

Received On : 21-03-2023 12:50:00
Released On : 21-03-2023 13:37:02
Reprinted On : 22-03-2023 10:18:17

Pring

Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: SANIYA NAVEEN SALJIT ANTHOLI KALATHIL	File. No.	: AAL02-293196
DOB/Gender	: 22-10-1989 (33 Yrs 5 Month /Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22230800139	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 21-03-2023 12:49	Clinic File No	: 38887
Insurance	: No		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
CRP - quant (serum)	12.17 ^H	mg/L	< 5.0	Immunoturbidimetric

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 21-03-2023 11:00:00
Authenticated On : 21-03-2023 13:36:20
Printed On : 21-03-2023 22:56:42

Received On : 21-03-2023 12:50:00
Released On : 21-03-2023 13:37:02
Reprinted On : 22-03-2023 10:18:17

Prings

Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822