



Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية

إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : HATEM AHMED ABDELWAHED

ABDELRAOUF AHMED MADKOUR

DOB/Gender : 25-07-1969 (53 Yrs 8 Month 23 Days/Male)

Lab No. : 22231030468

Request Date : 13-04-2023 22:02

: No

Insurance

Culture Yielded:

File. No. : AAL02-299838

Referral Doctor : Self

Referral Clinic : Peshawar(Irham Medical Center)

Clinic File No

URINE FOR CULTURE & SENSITIVITY - URINE

No bacterial growth after 48 hours of incubation

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

H/L Collected On: 13-04-2023 20:00:00 Received On: 13-04-2023 22:10:00 Authenticated On: 15-04-2023 23:00:48 Released On: 15-04-2023 23:01:25 Printed On: 16-04-2023 00:18:12

Reprinted On: 17-04-2023 12:22:26

Lifa Praveen Medical Microbiology Technologist DHA-P-00102477-001



