

LABORATORY REPORT

Name	: TATIANA FOUAD CORBAN EP SAID SAMAHA	File. No.	: AAL02-300106
DOB/Gender	: 02-01-1962 (61 Yrs 3 Month 13 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22231040335	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 14-04-2023 21:38	Clinic File No	: 342652
Insurance	: No		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	6.40 ^H	10 ¹² /L	3.80 - 4.80	Hydrodynamic focusing (DC Detection)
Haemoglobin	13.9	g/dl	12.0 - 15.0	Photometry-SLS
HCT	46.4 ^H	%	36.0 - 46.0	Hydrodynamic focusing
MCV	72.5 ^L	fl	83.0 - 101.0	Calculation
MCH	21.7 ^L	pg	27-32	Calculation
MCHC	30.0 ^L	g/dL	31.5 - 34.5	Calculation
Platelet Count	256	10 ³ /uL	150-400	Hydrodynamic Focusing(DCD)
WBC	7.62	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	50.2	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	37.8	%	20.0 - 40.0	Flow Cytometry
Monocytes	6.7	%	2-10	Flow Cytometry
Eosinophils	4.5	%	1 - 6	Flow Cytometry
Basophils	0.8	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	3.83	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	2.88	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.51	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.34	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.06	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 14-04-2023 20:00:00
Authenticated On : 14-04-2023 22:57:41
Printed On : 15-04-2023 11:46:42

Received On : 14-04-2023 21:39:00
Released On : 14-04-2023 23:03:39



Esmeralda Obenita
Lab Incharge
DHA/LS/2992011/ 241430

LABORATORY REPORT

Name : **TATIANA FOUAD CORBAN EP SAID SAMAHA** File. No. : **AAL02-300106**
DOB/Gender : **02-01-1962 (61 Yrs 3 Month 13 Days/Female)** Referral Doctor : **Dr. Enomen Goodluck Ekata**
Lab No. : **22231040335** Referral Clinic : **Peshawar(Irham Medical Center)**
Request Date : **14-04-2023 21:38** Clinic File No : **342652**
Insurance : **No**

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Recommended to do peripheral smear, iron studies and thalassemia screening.
Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 14-04-2023 20:00:00 Received On : 14-04-2023 21:39:00
Authenticated On : 14-04-2023 22:57:41 Released On : 14-04-2023 23:03:39
Printed On : 15-04-2023 11:46:42



Esmeralda Obenita
Lab Incharge
DHA/LS/2992011/ 241430

LABORATORY REPORT

Name	: TATIANA FOUAD CORBAN EP SAID SAMAHA	File. No.	: AAL02-300106
DOB/Gender	: 02-01-1962 (61 Yrs 3 Month 13 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22231040335	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 14-04-2023 21:38	Clinic File No	: 342652
Insurance	: No		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
HbA1c (whole blood)	5.6	%	Normal: =< 5.6 High risk/prediabetes: 5.7-6.4* Diabetes: => 6.5**	Enzymatic

* Requires screening by glucose criteria.

** Confirmed by repeating the test on a different day.

Kindly note new reference range for HbA1c effective from 7/6/2020.

Sample Type : EDTA WB

Cholesterol (serum)	216.4^H	mg/dL	Desirable: < 200 Border High: 200 - 239 High: >= 240	Enzymatic
Uric Acid (serum)	4.04	mg/dL	2.5 - 6.2	Uricase

Kindly note new reference range for Uric acid effective from 20/1/2022

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 14-04-2023 20:00:00
Authenticated On : 14-04-2023 22:57:41
Printed On : 15-04-2023 11:46:42

Received On : 14-04-2023 21:39:00
Released On : 14-04-2023 23:03:39



Esmeralda Obenita
Lab Incharge
DHA/LS/2992011/ 241430