

LABORATORY REPORT

Name	: SUDESH SINGH LAL CHAND	File. No.	: AAL02-302168
DOB/Gender	: 12-08-1968 (54 Yrs 8 Month 13 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22231140130	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 24-04-2023 13:50	Clinic File No	: 33756
Insurance	: No		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
HbA1c (whole blood)	7.3^H	%	Normal: ≤ 5.6 High risk/prediabetes: 5.7-6.4* Diabetes: ≥ 6.5**	Enzymatic

* Requires screening by glucose criteria.

** Confirmed by repeating the test on a different day.

Kindly note new reference range for HbA1c effective from 7/6/2020.

Sample Type : EDTA WB

Glucose(RBS)	225.7^H	mg/dL	Fasting: 70 - 100 1 hr post eating: 70 - 187 2 hrs post eating: 70 - 134	Hexokinase/G-6-PDH
Glucose - Fasting	146.72^H	mg/dL	70 - 100	Hexokinase/G-6-PDH

According to American Diabetes Association 2010, fasting plasma glucose (FPG) levels of (100-125 mg/dl) are in the increased risk category for diabetes.

Sample Type : Fluoride Plasma

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 24-04-2023 12:00:00
Authenticated On : 24-04-2023 15:02:33
Printed On : 24-04-2023 16:13:12

Received On : 24-04-2023 13:51:00
Released On : 24-04-2023 15:18:14
Reprinted On : 25-04-2023 10:08:47

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: SUDESH SINGH LAL CHAND	File. No.	: AAL02-302168
DOB/Gender	: 12-08-1968 (54 Yrs 8 Month 13 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22231140130	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 24-04-2023 13:50	Clinic File No	: 33756
Insurance	: No		

**LIPID PROFILE I
CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
Cholesterol (serum)	240.6^H	mg/dL	Desirable: < 200 Border High: 200 - 239 High: >= 240	Enzymatic
Triglycerides (serum)	164.0^H	mg/dL	Normal: < 150 Borderline High: 150 - 199 High: 200 - 499 Very High: >= 500	Glycerol Phosphate Oxidase
HDL Cholesterol	42.6	mg/dL	> 40.0	Accelerator Selective Detergent
LDL Cholesterol	178.0^H	mg/dL	Optimal: < 100 Near Optimal: 100 - 129 Borderline High: 130 - 159 High: 160 - 189 Very High: >= 190	Liquid Selective detergent
*VLDL	20.0	mg/dL	5.0 - 30.0	Calculation
*Cholesterol / HDL	5.6^H	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: > 6	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 24-04-2023 12:00:00
Authenticated On : 24-04-2023 15:02:33
Printed On : 24-04-2023 16:13:12

Received On : 24-04-2023 13:51:00
Released On : 24-04-2023 15:18:14
Reprinted On : 25-04-2023 10:08:47

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673