



## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية

إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : MUHAMMAD AFAQ MUHAMMAD SAEED

DOB/Gender : 01-01-2000 (23 Yrs 3 Month 28 Days/Male)

Lab No. : 22231160195

Request Date : 26-04-2023 13:32

Insurance : No

Remarks:

File. No. : AAL02-302896

Referral Doctor : Dr. Enomen Goodluck Ekata

Referral Clinic : Peshawar(Irham Medical Center)

Clinic File No : 38457

**URINE FOR CULTURE & SENSITIVITY - URINE** 

**Culture Yielded:** No bacterial growth after 48 hours of incubation

Test results to be interpreted in light of clinical history / Antibiotic therapy. To be investigated further if clinically indicated.

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

H/L Collected On: 26-04-2023 11:00:00 Authenticated On: 28-04-2023 18:07:42 Printed On: 28-04-2023 21:20:10

Received On: 26-04-2023 13:32:00 Released On: 28-04-2023 18:08:11 Reprinted On: 29-04-2023 10:22:42

Thamburu Raman Med. Microbiology technologist

00160693-002

