

LABORATORY REPORT

Name	: MUHAMMAD HASNAIN HAIDER MUHAMMAD ANWAR	File. No.	: AAL02-304895
DOB/Gender	: 02-08-1990 (32 Yrs 9 Month 1 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22231220208	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 02-05-2023 14:11	Clinic File No	: 36104
Insurance	: No		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	4.90	10 ¹² /L	4.50 - 5.50	Hydrodynamic focusing (DC Detection)
Haemoglobin	14.9	g/dl	13.0 - 17.0	Photometry-SLS
HCT	43.9	%	40.0 - 50.0	Hydrodynamic focusing
MCV	89.6	fl	83.0 - 101.0	Calculation
MCH	30.4	pg	27-32	Calculation
MCHC	33.9	g/dL	31.5 - 34.5	Calculation
Platelet Count	209	10 ³ /uL	150 - 400	Hydrodynamic Focusing(DCD)
WBC	15.37^H	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	82.9^H	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	10.9^L	%	20.0 - 40.0	Flow Cytometry
Monocytes	5.9	%	2.0-10.0	Flow Cytometry
Eosinophils	0.1^L	%	1 - 6	Flow Cytometry
Basophils	0.2	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	12.76^H	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	1.67	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.90	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.01^L	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.03	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 02-05-2023 12:00:00
Authenticated On : 02-05-2023 15:34:35
Printed On : 02-05-2023 21:27:49

Received On : 02-05-2023 14:14:00
Released On : 02-05-2023 15:48:52
Reprinted On : 03-05-2023 13:51:00

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: MUHAMMAD HASNAIN HAIDER MUHAMMAD ANWAR	File. No.	: AAL02-304895
DOB/Gender	: 02-08-1990 (32 Yrs 9 Month 1 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22231220208	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 02-05-2023 14:11	Clinic File No	: 36104
Insurance	: No		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 02-05-2023 12:00:00
Authenticated On : 02-05-2023 15:34:35
Printed On : 02-05-2023 21:27:49

Received On : 02-05-2023 14:14:00
Released On : 02-05-2023 15:48:52
Reprinted On : 03-05-2023 13:51:00

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: MUHAMMAD HASNAIN HAIDER MUHAMMAD ANWAR	File. No.	: AAL02-304895
DOB/Gender	: 02-08-1990 (32 Yrs 9 Month 1 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22231220208	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 02-05-2023 14:11	Clinic File No	: 36104
Insurance	: No		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
CRP - quant (serum)	2.56	mg/L	< 5.0	Immunoturbidimetric

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 02-05-2023 12:00:00
Authenticated On : 02-05-2023 15:34:35
Printed On : 02-05-2023 21:27:49

Received On : 02-05-2023 14:14:00
Released On : 02-05-2023 15:48:52
Reprinted On : 03-05-2023 13:51:00

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673