

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية

إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ Dubai Accreditation Department for ISO 15189 المارة دبن للإعتماد طبقا لمواصفات الأيزو

## LABORATORY REPORT

File. No.

Referral Doctor

Name : KOKILA DEVI GOPIKRISHNAN

**CHENTHURAN** 

: 27-05-1988 (34 Yrs 11 Month 14 DOB/Gender

Days/Female)

Lab No. : 22231310140

Request Date : 11-05-2023 13:22 Clinic File No

Insurance : No

: Peshawar(Irham Medical Center) Referral Clinic

: Self

: AAL02-298590

: 39873

## HORMONES/ENDOCRINE/TUMOR MARKERS

Test Name	Result	Units	Ref. Range	Method
B-HCG (serum)	55.73 <sup>H</sup>	mIU/mI	Nonpregnant: < 5.0	CMIA

B-HCG ranges during normal pregnancy are:

Weeks post LMP = B-HCG (mIU/ml)

3-4 weeks = 9-130

4-5 weeks = 75 - 2600

5-6 weeks = 850 - 20800

6-7 weeks = 4000 - 100200

7-12 weeks = 11500 - 289000

12-16 weeks = 18300 - 137000

16-29 weeks = 1400 - 53000

29-41 weeks = 940 - 60000

Remarks:

RECHECKED AND REPEATED. Recommended to repeat with new sample for confirmation. Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui

Laboratory Director DHA/LS/248469

H/L Collected On: 11-05-2023 10:00:00 Authenticated On: 11-05-2023 17:32:33

Printed On: 11-05-2023 17:43:14

Received On: 11-05-2023 13:22:00 Released On: 11-05-2023 17:32:42

Reprinted On: 11-05-2023 17:59:31

Esmeralda Obenita

Lab Incharge

DHA/LS/2992011/ 241430

