

LABORATORY REPORT

Name	: MOHAMMAD ABDOLAZIZ DELRISH	File. No.	: AAL02-308126
DOB/Gender	: 14-09-2015 (7 Yrs 8 Month /Male)	Referral Doctor	: Dr. Mohammadmahdi Ghodstehrani
Lab No.	: 22231340260	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 14-05-2023 15:55	Clinic File No	: 40090
Insurance	: NEXTCARE		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	4.56	10 ¹² /L	4.00 - 5.20	Hydrodynamic focusing (DC Detection)
Haemoglobin	12.7	g/dl	11.5 - 15.5	Photometry-SLS
HCT	39.8	%	35.0 - 45.0	Hydrodynamic focusing
MCV	87.3	fl	77.0 - 95.0	Calculation
MCH	27.9	pg	25.0 - 33.0	Calculation
MCHC	31.9	g/dL	31.0 - 37.0	Calculation
Platelet Count	314	10 ³ /uL	170 - 450	Hydrodynamic Focusing(DCD)
WBC	8.59	10 ³ /uL	5.00 - 13.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	46.1	%	22.0 - 89.0	Flow Cytometry
Lymphocytes	38.1	%	25.0 - 65.0	Flow Cytometry
Monocytes	8.6	%	2.0 - 10.0	Flow Cytometry
Eosinophils	6.4	%	1.0 - 8.0	Flow Cytometry
Basophils	0.8	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	3.96	10 ³ /uL	2.00 - 8.00	Calculation
Lymphocytes (Absolute)	3.27	10 ³ /uL	1.00 - 5.00	Calculation
Monocytes (Absolute)	0.74	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.55	10 ³ /uL	0.10 - 1.00	Calculation
Basophils (Absolute)	0.07	10 ³ /uL	< 0.15	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.9	Calculation

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 11-05-2023 19:00:00
Authenticated On : 14-05-2023 19:16:31
Printed On : 14-05-2023 19:17:29

Received On : 14-05-2023 15:58:00
Released On : 14-05-2023 19:17:05
Reprinted On : 14-05-2023 19:50:54

Rhea Suberon
Medical Laboratory Technician
DHA/LS/123639

LABORATORY REPORT

Name	: MOHAMMAD ABDOLAZIZ DELRISH	File. No.	: AAL02-308126
DOB/Gender	: 14-09-2015 (7 Yrs 8 Month /Male)	Referral Doctor	: Dr. Mohammadmahdi Ghodstehrani
Lab No.	: 22231340260	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 14-05-2023 15:55	Clinic File No	: 40090
Insurance	: NEXTCARE		

HORMONES/ENDOCRINE/TUMOR MARKERS

Test Name	Result	Units	Ref. Range	Method
TSH (serum)	2.1346	μIU/mL	0.5100 - 4.8200	CMIA
Total T3 (serum)	102.5	ng/dL	94.0 - 241.0	CMIA

Kindly note new reference range for Total T3 effective from 06/03/2021

Sample Type : Serum

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 11-05-2023 19:00:00
Authenticated On : 14-05-2023 19:16:31
Printed On : 14-05-2023 19:17:29

Received On : 14-05-2023 15:58:00
Released On : 14-05-2023 19:17:05
Reprinted On : 14-05-2023 19:50:54

Rhea Suberon
Medical Laboratory Technician
DHA/LS/123639

LABORATORY REPORT

Name	: MOHAMMAD ABDOLAZIZ DELRISH	File. No.	: AAL02-308126
DOB/Gender	: 14-09-2015 (7 Yrs 8 Month /Male)	Referral Doctor	: Dr. Mohammadmahdi Ghodstehrani
Lab No.	: 22231340260	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 14-05-2023 15:55	Clinic File No	: 40090
Insurance	: NEXTCARE		

MICROBIOLOGY/BACTERIOLOGY/BODY FLUIDS

Test Name	Result	Units	Ref. Range	Method
<u>URINE ROUTINE (URINALYSIS)</u>				
<u>PHYSICAL EXAMINATION</u>				
Color	Light Yellow		Yellow	Light Scatter
Appearance	Clear		Clear	Light Scatter
Specific Gravity	1.025		1.005 - 1.030	Refractrometry
PH	6.00		4.6 - 8.0	pH.I/Reflectance
Glucose	Negative		Negative	Enz.Rn/Reflect
Ketone	Negative		Negative	Legal's method
Protein	Negative		Negative	Dye Binding
Blood	Negative		Negative	Peroxidase Activity/Reflectance
Bilirubin	Negative		Negative	Acidified Diazo Coupling
Urobilinogen	2.0 ^H	mg/dL	Normal 0.2 - 1.0	Buffered Diazo Coupling
Nitrite	Negative		Negative	Mod. Gries Rn
Leukocytes.	Negative		Negative	Enz.Rn/Reflect
<u>MICROSCOPIC EXAMINATION</u>				
Pus Cells	1 - 2	/HPF	1 - 4	F.D.I/Microscopy
RBC's	0 - 1	/HPF	0 - 2	F.D.I/Microscopy
Epithelial cells	0 - 1	/HPF	1 - 4	F.D.I/Microscopy
Bacteria	Absent	/HPF	Absent	F.D.I/Microscopy
Yeast cells	Absent	/HPF	Absent	F.D.I/Microscopy
Trichomonas Vaginalis	Absent	/HPF	Absent	F.D.I/Microscopy
Mucus Threads	Few	/HPF	Absent	F.D.I/Microscopy
Crystals	Absent	/HPF	Absent	F.D.I/Microscopy
Casts	Absent	/LPF	Absent	F.D.I/Microscopy

Bilirubin and Urobilinogen when exposed to sunlight leads to artificially low results, hence recommended to collect urine in dark container for analyzing Urine

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 11-05-2023 19:00:00
Authenticated On : 14-05-2023 17:09:47
Printed On : 14-05-2023 19:16:32

Received On : 14-05-2023 15:58:00
Released On : 14-05-2023 17:30:21
Reprinted On : 14-05-2023 19:50:54

Rhea Suberon
Medical Laboratory Technician
DHA/LS/123639

LABORATORY REPORT

Name	: MOHAMMAD ABDOLAZIZ DELRISH	File. No.	: AAL02-308126
DOB/Gender	: 14-09-2015 (7 Yrs 8 Month /Male)	Referral Doctor	: Dr. Mohammadmahdi Ghodstehrani
Lab No.	: 22231340260	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 14-05-2023 15:55	Clinic File No	: 40090
Insurance	: NEXTCARE		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Bilirubin and Urobilinogen if clinically indicated.

Kindly note the new methodology is effective from 31-10-2022.

Remarks:

Test was rechecked. Recommended to repeat test with new sample for urobilinogen confirmation.

Sample Type : Mid-stream Urine

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 11-05-2023 19:00:00
Authenticated On : 14-05-2023 17:09:47
Printed On : 14-05-2023 19:16:32

Received On : 14-05-2023 15:58:00
Released On : 14-05-2023 17:30:21
Reprinted On : 14-05-2023 19:50:54

Rhea Suberon
Medical Laboratory Technician
DHA/LS/123639

LABORATORY REPORT

Name	: MOHAMMAD ABDOLAZIZ DELRISH	File. No.	: AAL02-308126
DOB/Gender	: 14-09-2015 (7 Yrs 8 Month /Male)	Referral Doctor	: Dr. Mohammadmahdi Ghodstehrani
Lab No.	: 22231340260	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 14-05-2023 15:55	Clinic File No	: 40090
Insurance	: NEXTCARE		

**LIPID PROFILE I
CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
Cholesterol (serum)	196.7	mg/dL	Desirable: < 200 Border High: 200 - 239 High: >= 240	Enzymatic
Triglycerides (serum)	72.0	mg/dL	Normal: < 150 Borderline High: 150 - 199 High: 200 - 499 Very High: >= 500	Glycerol Phosphate Oxidase
HDL Cholesterol	64.3	mg/dL	> 40.0	Accelerator Selective Detergent
LDL Cholesterol	136.3^H	mg/dL	Optimal: < 100 Near Optimal: 100 - 129 Borderline High: 130 - 159 High: 160 - 189 Very High: >= 190	Liquid Selective detergent
*VLDL	14.4	mg/dL	5.0 - 30.0	Calculation
*Cholesterol / HDL	3.1	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: > 6	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 11-05-2023 19:00:00
Authenticated On : 14-05-2023 19:16:31
Printed On : 14-05-2023 19:17:29

Received On : 14-05-2023 17:46:00
Released On : 14-05-2023 19:17:05
Reprinted On : 14-05-2023 19:50:54

Rhea Suberon
Medical Laboratory Technician
DHA/LS/123639