

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية

إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

: IQRA JAVAID MUHAMMAD WAQAS SHAHID File. No. Name

DOB/Gender : 29-05-1990 (32 Yrs 11 Month 17

Days/Female)

Lab No. : 22231350520

Request Date : 15-05-2023 22:09

Insurance : No : AAL02-309364

Referral Doctor : Dr. Enomen Goodluck Ekata

: Peshawar(Irham Medical Center) Referral Clinic

Clinic File No

HORMONES/ENDOCRINE/TUMOR MARKERS

Test Name	Result	Units	Ref. Range	Method
B-HCG (serum)	905.87 ^H	mIU/mI	Nonpregnant: < 5.0	CMIA

B-HCG ranges during normal pregnancy are:

Weeks post LMP = B-HCG (mIU/ml)

3-4 weeks = 9-130

4-5 weeks = 75 - 2600

5-6 weeks = 850 - 20800

6-7 weeks = 4000 - 100200

7-12 weeks = 11500 - 289000

12-16 weeks = 18300 - 137000

16-29 weeks = 1400 - 53000

29-41 weeks = 940 - 60000

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui

Laboratory Director DHA/LS/248469

H/L Collected On: 15-05-2023 19:00:00 Authenticated On: 16-05-2023 00:26:50

Received On: 15-05-2023 22:10:00 Released On: 16-05-2023 00:29:29

Printed On: 16-05-2023 11:25:25

Esmeralda Obenita

Lab Incharge DHA/LS/2992011/ 241430



