

Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis

إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ا ١٥١٨٩ Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Referral Doctor

: Self

Name : IQRA JAVAID MUHAMMAD WAQAS SHAHID File. No. : AAL02-310517

DOB/Gender : 29-05-1990 (32 Yrs 11 Month 20

Days/Female)

Lab No. : 22231380551 Referral Clinic : Peshawar(Irham Medical Center)

Reguest Date : 18-05-2023 22:10 Clinic File No : 40123

Insurance : No

HORMONES/ENDOCRINE/TUMOR MARKERS

Test Name	Result	Units	Ref. Range	Method
B-HCG (serum)	3134.40 ^H	mIU/ml	Nonpregnant: < 5.0	CMIA

B-HCG ranges during normal pregnancy are:

Weeks post LMP = B-HCG (mIU/ml)

3-4 weeks = 9-130

4-5 weeks = 75 - 2600

5-6 weeks = 850 - 20800

6-7 weeks = 4000 - 100200

7-12 weeks = 11500 - 289000

12-16 weeks = 18300 - 137000

16-29 weeks = 1400 - 53000 29-41 weeks = 940 - 60000

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui

Laboratory Director DHA/LS/248469

H/L Collected On : 18-05-2023 12:00:00 Authenticated On : 18-05-2023 23:22:26

Printed On: 18-05-2023 23:49:45

Received On: 18-05-2023 22:10:00 Released On: 18-05-2023 23:32:18

Reprinted On: 19-05-2023 11:53:48

Sim-

Esmeralda Obenita

Lab Incharge

DHA/LS/2992011/ 241430

