

LABORATORY REPORT

Name	: EKENE CHRIS EZEH	File. No.	: AAL02-312988
DOB/Gender	: 15-05-1989 (34 Yrs 11 Days/Male)	Referral Doctor	: Dr. Sumaiya Galib
Lab No.	: 22231450563	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 25-05-2023 22:24	Clinic File No	: 26439
Insurance	: No		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	5.51 ^H	10 ¹² /L	4.50 - 5.50	Hydrodynamic focusing (DC Detection)
Haemoglobin	15.7	g/dl	13.0 - 17.0	Photometry-SLS
HCT	46.7	%	40.0 - 50.0	Hydrodynamic focusing
MCV	84.8	fl	83.0 - 101.0	Calculation
MCH	28.5	pg	27-32	Calculation
MCHC	33.6	g/dL	31.5 - 34.5	Calculation
Platelet Count	249	10 ³ /uL	150 - 400	Hydrodynamic Focusing(DCD)
WBC	6.08	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	39.3 ^L	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	52.8 ^H	%	20.0 - 40.0	Flow Cytometry
Monocytes	6.6	%	2.0-10.0	Flow Cytometry
Eosinophils	0.8 ^L	%	1 - 6	Flow Cytometry
Basophils	0.5	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	2.39	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	3.21 ^H	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.40	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.05	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.03	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 25-05-2023 18:00:00
Authenticated On : 25-05-2023 23:44:18
Printed On : 26-05-2023 00:18:20

Received On : 25-05-2023 22:26:00
Released On : 25-05-2023 23:45:29
Reprinted On : 26-05-2023 09:21:29



Esmeralda Obenita
Lab Incharge
DHA/LS/2992011/ 241430

LABORATORY REPORT

Name	: EKENE CHRIS EZEH	File. No.	: AAL02-312988
DOB/Gender	: 15-05-1989 (34 Yrs 11 Days/Male)	Referral Doctor	: Dr. Sumaiya Galib
Lab No.	: 22231450563	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 25-05-2023 22:24	Clinic File No	: 26439
Insurance	: No		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 25-05-2023 18:00:00
Authenticated On : 25-05-2023 23:44:18
Printed On : 26-05-2023 00:18:20

Received On : 25-05-2023 22:26:00
Released On : 25-05-2023 23:45:29
Reprinted On : 26-05-2023 09:21:29



Esmeralda Obenita
Lab Incharge
DHA/LS/2992011/ 241430

LABORATORY REPORT

Name	: EKENE CHRIS EZEH	File. No.	: AAL02-312988
DOB/Gender	: 15-05-1989 (34 Yrs 11 Days/Male)	Referral Doctor	: Dr. Sumaiya Galib
Lab No.	: 22231450563	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 25-05-2023 22:24	Clinic File No	: 26439
Insurance	: No		

**LIPID PROFILE I
CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
Cholesterol (serum)	239.3^H	mg/dL	Desirable: < 200 Border High: 200 - 239 High: >= 240	Enzymatic
Triglycerides (serum)	203.0^H	mg/dL	Normal: < 150 Borderline High: 150 - 199 High: 200 - 499 Very High: >= 500	Glycerol Phosphate Oxidase
HDL Cholesterol	42.4	mg/dL	> 40.0	Accelerator Selective Detergent
LDL Cholesterol	166.5^H	mg/dL	Optimal: < 100 Near Optimal: 100 - 129 Borderline High: 130 - 159 High: 160 - 189 Very High: >= 190	Liquid Selective detergent
*VLDL	30.5^H	mg/dL	5.0 - 30.0	Calculation
*Cholesterol / HDL	5.7^H	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: > 6	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 25-05-2023 18:00:00
Authenticated On : 25-05-2023 23:44:18
Printed On : 26-05-2023 00:18:20

Received On : 25-05-2023 22:26:00
Released On : 25-05-2023 23:45:29
Reprinted On : 26-05-2023 09:21:29



Esmeralda Obenita
Lab Incharge
DHA/LS/2992011/ 241430