

**LABORATORY REPORT**

|              |                                              |                 |                                  |
|--------------|----------------------------------------------|-----------------|----------------------------------|
| Name         | : SABA SHARIFF                               | File. No.       | : AAL02-321146                   |
| DOB/Gender   | : 19-07-1998 (24 Yrs 11 Month 1 Days/Female) | Referral Doctor | : Dr. Syeda Ali                  |
| Lab No.      | : 22231700550                                | Referral Clinic | : Peshawar(Irham Medical Center) |
| Request Date | : 19-06-2023 20:50                           | Clinic File No  | : 38941                          |
| Insurance    | : NEXTCARE                                   |                 |                                  |

**MICROBIOLOGY/BACTERIOLOGY/BODY FLUIDS**

| Test Name                                | Result             | Units | Ref. Range       | Method                          |
|------------------------------------------|--------------------|-------|------------------|---------------------------------|
| <b><u>URINE ROUTINE (URINALYSIS)</u></b> |                    |       |                  |                                 |
| <b><u>PHYSICAL EXAMINATION</u></b>       |                    |       |                  |                                 |
| Color                                    | Straw              |       | Yellow           | Light Scatter                   |
| Appearance                               | Clear              |       | Clear            | Light Scatter                   |
| Specific Gravity                         | 1.004 <sup>L</sup> |       | 1.005 - 1.030    | Refractrometry                  |
| PH                                       | 6.50               |       | 4.6 - 8.0        | pH.I/Reflectance                |
| Glucose                                  | Negative           |       | Negative         | Enz.Rn/Reflect                  |
| Ketone                                   | Negative           |       | Negative         | Legal's method                  |
| Protein                                  | Negative           |       | Negative         | Dye Binding                     |
| Blood                                    | Negative           |       | Negative         | Peroxidase Activity/Reflectance |
| Bilirubin                                | Negative           |       | Negative         | Acidified Diazo Coupling        |
| Urobilinogen                             | Normal             | mg/dL | Normal 0.2 - 1.0 | Buffered Diazo Coupling         |
| Nitrite                                  | Negative           |       | Negative         | Mod. Gries Rn                   |
| Leukocytes.                              | Trace              |       | Negative         | Enz.Rn/Reflect                  |
| <b><u>MICROSCOPIC EXAMINATION</u></b>    |                    |       |                  |                                 |
| Pus Cells                                | 2 - 4              | /HPF  | 1 - 4            | F.D.I/Microscopy                |
| RBC's                                    | 0 - 1              | /HPF  | 0 - 2            | F.D.I/Microscopy                |
| Epithelial cells                         | 1 - 2              | /HPF  | 1 - 4            | F.D.I/Microscopy                |
| Bacteria                                 | Rare               | /HPF  | Absent           | F.D.I/Microscopy                |
| Yeast cells                              | Absent             | /HPF  | Absent           | F.D.I/Microscopy                |
| Trichomonas Vaginalis                    | Absent             | /HPF  | Absent           | F.D.I/Microscopy                |
| Mucus Threads                            | Absent             | /HPF  | Absent           | F.D.I/Microscopy                |
| Crystals                                 | Absent             | /HPF  | Absent           | F.D.I/Microscopy                |
| Casts                                    | Absent             | /LPF  | Absent           | F.D.I/Microscopy                |

Bilirubin and Urobilinogen when exposed to sunlight leads to artificially low results, hence recommended to collect urine in dark container for analyzing Urine

These tests are accredited under ISO 15189:2012 unless specified by (\*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

**Dr. Solmaz Siddiqui**  
Laboratory Director  
DHA/LS/248469

H/L Collected On : 19-06-2023 19:00:00  
Authenticated On : 20-06-2023 00:15:06  
Printed On : 20-06-2023 00:37:39

Received On : 19-06-2023 22:45:00  
Released On : 20-06-2023 00:28:49  
Reprinted On : 20-06-2023 10:00:20



**Esmeralda Obenita**  
Lab Incharge  
DHA/LS/2992011/ 241430

**LABORATORY REPORT**

|              |                                              |                 |                                  |
|--------------|----------------------------------------------|-----------------|----------------------------------|
| Name         | : SABA SHARIFF                               | File. No.       | : AAL02-321146                   |
| DOB/Gender   | : 19-07-1998 (24 Yrs 11 Month 1 Days/Female) | Referral Doctor | : Dr. Syeda Ali                  |
| Lab No.      | : 22231700550                                | Referral Clinic | : Peshawar(Irham Medical Center) |
| Request Date | : 19-06-2023 20:50                           | Clinic File No  | : 38941                          |
| Insurance    | : NEXTCARE                                   |                 |                                  |

| Test Name | Result | Units | Ref. Range | Method |
|-----------|--------|-------|------------|--------|
|-----------|--------|-------|------------|--------|

*Bilirubin and Urobilinogen if clinically indicated.*

*Kindly note the new methodology is effective from 31-10-2022.*

*Sample Type : Mid-stream Urine*

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

**Dr. Solmaz Siddiqui**  
Laboratory Director  
DHA/LS/248469

H/L Collected On : 19-06-2023 19:00:00  
Authenticated On : 20-06-2023 00:15:06  
Printed On : 20-06-2023 00:37:39

Received On : 19-06-2023 22:45:00  
Released On : 20-06-2023 00:28:49  
Reprinted On : 20-06-2023 10:00:20



**Esmeralda Obenita**  
Lab Incharge  
DHA/LS/2992011/ 241430