

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية

إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : GAURI GOURESH GOVEKAR

: 13-05-1981 (42 Yrs 1 Month 13 Days/Female) Referral Doctor

Lab No. : 22231770169

Request Date : 26-06-2023 13:48

Insurance : No

DOB/Gender

File. No. : AAL02-323656

: Dr. Sumaiya Galib

Referral Clinic : Peshawar(Irham Medical Center)

Clinic File No : 39510

## **CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
HbA1c (whole blood)	6.4 <sup>H</sup>	%	Normal: =< 5.6 High risk/prediabetes: 5.7-	Enzymatic 6.4*

Diabetes: => 6.5\*\*

Kindly note new reference range for HbA1c effective from 7/6/2020.

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: EDTA WB

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director

DHA/LS/248469

H/L Collected On: 26-06-2023 11:00:00 Authenticated On: 26-06-2023 15:19:32

Released On: 26-06-2023 16:28:54

Received On: 26-06-2023 13:48:00

Printed On: 26-06-2023 17:05:27

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673



<sup>\*</sup> Requires screening by glucose criteria.

<sup>\*\*</sup> Confirm by repeating the test on a different day.