

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية

إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : SABAH FARID ALHADAWI File. No. : AAL02-309890

DOB/Gender

: 08-04-1952 (71 Yrs 2 Month 22 Days/Female) Referral Doctor

: Self

Referral Clinic : Peshawar(Irham Medical Center)

Lab No.

: 22231810090 Request Date : 30-06-2023 13:08

Clinic File No : 40130

Insurance

: No

CLINICAL BIOCHEMISTRY

OLINIOAL BIOGILLIMOTAT				
Test Name	Result	Units	Ref. Range	Method
HbA1c (whole blood)	6.3 ^H	%	Normal: =< 5.6 High risk/prediabetes: 5.7	Enzymatic 7-6.4*

Diabetes: => 6.5**

Kindly note new reference range for HbA1c effective from 7/6/2020.

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: EDTA WB

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

H/L Collected On: 30-06-2023 09:00:00 Authenticated On: 30-06-2023 14:46:30

Printed On: 30-06-2023 16:02:35

Received On: 30-06-2023 13:08:00 Released On: 30-06-2023 15:54:27

Reprinted On: 30-06-2023 16:02:58

Padmapriya Kumareshan

Sr. Technician

DHA/LS2992011/243822



^{*} Requires screening by glucose criteria.

^{**} Confirm by repeating the test on a different day.