

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية

إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : GAURI GOURESH GOVEKAR File. No. : AAL02-325268

DOB/Gender : 13-05-1981 (42 Yrs 1 Month 22 Days/Female) Referral Doctor

: Self

Lab No. : 22231850180 Referral Clinic : Peshawar(Irham Medical Center)

Request Date : 04-07-2023 13:35 Clinic File No : 39510

Insurance : No

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Glucose - Fasting	132.72 ^H	mg/dL	70 - 100	Hexokinase/G-6- PDH

According to American Diabetes Association 2010, fasting plasma glucose (FPG) levels of (100-125 mg/dl) are in the increased risk category for diabetes.

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Fluoride Plasma

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

H/L Collected On: 04-07-2023 09:00:00 Authenticated On: 04-07-2023 14:38:26 Printed On: 04-07-2023 23:30:03

Released On: 04-07-2023 15:47:37 Reprinted On: 05-07-2023 13:17:23

Received On: 04-07-2023 13:36:00

Padmapriya Kumareshan

Sr. Technician

DHA/LS2992011/243822

