

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : EDOBOR LAWAL File. No. : AAL02-331814

DOB/Gender : 31-12-1980 (42 Yrs 7 Month 11 Days/Male)

: Dr. Sajid Sanaullah Khan

Referral Doctor

Lab No.

: 22232110150

Referral Clinic

: Peshawar(Irham Medical Center)

Request Date : 30-07-2023 14:09:21

Clinic File No : 35146

Insurance

: NATIONAL GENERAL INSURANCE (HEALTHNET)

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
HbA1c (whole blood)	6.1 ^H	%	Normal: =< 5.6 Enzymatic High risk/prediabetes: 5.7-6.4*	

Diabetes: => 6.5**

Kindly note new reference range for HbA1c effective from 7/6/2020.

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: EDTA WB

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director

DHA/LS/248469

H/L Collected On: 28-07-2023 19:00:00 Received On: 30-07-2023 14:12:00 Authenticated On: 30-07-2023 16:21:59 Released On: 30-07-2023 16:22:38

Laboratory Technician DHA-P-0039673

Page 1 of 1

Wasik Hasan Tisekar

^{*} Requires screening by glucose criteria.

^{**} Confirm by repeating the test on a different day.