

LABORATORY REPORT

Name	: AMAR SINGH NISHAD SHRI RAMDAS NISHAD	File. No.	: AAL02-332573
DOB/Gender	: 10-08-1987 (35 Yrs 11 Month 23 Days/Male)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22232130131	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 01-08-2023 12:55	Clinic File No	: 37497
Insurance	: No		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	5.19	10 ¹² /L	4.50 - 5.50	Hydrodynamic focusing (DC Detection)
Haemoglobin	17.2 ^H	g/dl	13.0 - 17.0	Photometry-SLS
HCT	46.8	%	40.0 - 50.0	Hydrodynamic focusing
MCV	90.2	fl	83.0 - 101.0	Calculation
MCH	33.1 ^H	pg	27-32	Calculation
MCHC	36.8 ^H	g/dL	31.5 - 34.5	Calculation
Platelet Count	172	10 ³ /uL	150 - 400	Hydrodynamic Focusing(DCD)
WBC	6.79	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	62.5	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	22.8	%	20.0 - 40.0	Flow Cytometry
Monocytes	6.9	%	2.0-10.0	Flow Cytometry
Eosinophils	7.2 ^H	%	1 - 6	Flow Cytometry
Basophils	0.6	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	4.24	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	1.55	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.47	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.49	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.04	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 01-08-2023 12:00:00
Authenticated On : 01-08-2023 15:59:55
Printed On : 02-08-2023 12:07:35

Received On : 01-08-2023 12:56:00
Released On : 01-08-2023 16:59:13
Reprinted On : 02-08-2023 13:35:02

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: AMAR SINGH NISHAD SHRI RAMDAS NISHAD	File. No.	: AAL02-332573
DOB/Gender	: 10-08-1987 (35 Yrs 11 Month 23 Days/Male)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22232130131	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 01-08-2023 12:55	Clinic File No	: 37497
Insurance	: No		

Test Name	Result	Units	Ref. Range	Method
Test result to be interpreted in the light of clinical history and to be investigated further if necessary.				
<u>ERYTHROCYTE SEDIMENTATION RATE (ESR)</u>				
ESR (whole blood)	2	mmhr	up to 10	Modified Westergren

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 01-08-2023 12:00:00
Authenticated On : 01-08-2023 15:59:55
Printed On : 02-08-2023 12:07:35

Received On : 01-08-2023 12:56:00
Released On : 01-08-2023 16:59:13
Reprinted On : 02-08-2023 13:35:02

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: AMAR SINGH NISHAD SHRI RAMDAS NISHAD	File. No.	: AAL02-332573
DOB/Gender	: 10-08-1987 (35 Yrs 11 Month 23 Days/Male)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22232130131	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 01-08-2023 12:55	Clinic File No	: 37497
Insurance	: No		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Uric Acid (serum)	6.48	mg/dL	3.7 - 7.7	Uricase

Kindly note new reference range for Uric acid effective from 20/1/2022

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 01-08-2023 12:00:00
Authenticated On : 01-08-2023 15:59:55
Printed On : 02-08-2023 12:07:35

Received On : 01-08-2023 12:56:00
Released On : 01-08-2023 16:59:13
Reprinted On : 02-08-2023 13:35:02

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673