

LABORATORY REPORT

Name	: ASHA THATTASSERIL PADMAVATHY NEELAKANDAN	File. No.	: AAL02-301615
DOB/Gender	: 25-05-1978 (45 Yrs 2 Month 13 Days/Female)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22232190168	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 07-08-2023 12:52	Clinic File No	: 37217
Insurance	: NEXTCARE		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	4.05	10 ¹² /L	3.80 - 4.80	Hydrodynamic focusing (DC Detection)
Haemoglobin	11.4 ^L	g/dl	12.0 - 15.0	Photometry-SLS
HCT	34.4 ^L	%	36.0 - 46.0	Hydrodynamic focusing
MCV	84.9	fl	83.0 - 101.0	Calculation
MCH	28.1	pg	27-32	Calculation
MCHC	33.1	g/dL	31.5 - 34.5	Calculation
Platelet Count	391	10 ³ /uL	150-400	Hydrodynamic Focusing(DCD)
WBC	5.11	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	41.8	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	44.6 ^H	%	20.0 - 40.0	Flow Cytometry
Monocytes	10.6 ^H	%	2-10	Flow Cytometry
Eosinophils	2.0	%	1 - 6	Flow Cytometry
Basophils	1.0	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	2.14	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	2.28	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.54	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.10	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.05	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 07-08-2023 11:00:00
Authenticated On : 07-08-2023 15:33:27
Printed On : 07-08-2023 18:10:47

Received On : 07-08-2023 13:55:00
Released On : 07-08-2023 17:03:00

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: ASHA THATTASSERIL PADMAVATHY NEELAKANDAN	File. No.	: AAL02-301615
DOB/Gender	: 25-05-1978 (45 Yrs 2 Month 13 Days/Female)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22232190168	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 07-08-2023 12:52	Clinic File No	: 37217
Insurance	: NEXTCARE		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 07-08-2023 11:00:00
Authenticated On : 07-08-2023 15:33:27
Printed On : 07-08-2023 18:10:47

Received On : 07-08-2023 13:55:00
Released On : 07-08-2023 17:03:00

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: ASHA THATTASSERIL PADMAVATHY NEELAKANDAN	File. No.	: AAL02-301615
DOB/Gender	: 25-05-1978 (45 Yrs 2 Month 13 Days/Female)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22232190168	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 07-08-2023 12:52	Clinic File No	: 37217
Insurance	: NEXTCARE		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
CRP - quant (serum)	6.68 ^H	mg/L	< 5.0	Immunoturbidimetric

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 07-08-2023 11:00:00
Authenticated On : 07-08-2023 15:33:27
Printed On : 07-08-2023 18:10:47

Received On : 07-08-2023 13:55:00
Released On : 07-08-2023 17:03:00

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name : **ASHA THATTASSERIL PADMAVATHY NEELAKANDAN** File. No. : **AAL02-301615**
DOB/Gender : **25-05-1978 (45 Yrs 2 Month 13 Days/Female)** Referral Doctor : **Dr. Sajid Sanaullah Khan**
Lab No. : **22232190168** Referral Clinic : **Peshawar(Irham Medical Center)**
Request Date : **07-08-2023 12:52** Clinic File No : **37217**
Insurance : **NEXTCARE**

**LIPID PROFILE I
CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
Cholesterol (serum)	211.3^H	mg/dL	Desirable: < 200 Border High: 200 - 239 High: >= 240	Enzymatic
Triglycerides (serum)	204.0^H	mg/dL	Normal: < 150 Borderline High: 150 - 199 High: 200 - 499 Very High: >= 500	Glycerol Phosphate Oxidase
HDL Cholesterol	42.2	mg/dL	> 40.0	Accelerator Selective Detergent
LDL Cholesterol	158.2^H	mg/dL	Optimal: < 100 Near Optimal: 100 - 129 Borderline High: 130 - 159 High: 160 - 189 Very High: >= 190	Liquid Selective detergent
*VLDL	11.0	mg/dL	5.0 - 30.0	Calculation
*Cholesterol / HDL	5.0^H	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: > 6	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 07-08-2023 11:00:00
Authenticated On : 07-08-2023 15:33:27
Printed On : 07-08-2023 18:10:47

Received On : 07-08-2023 13:55:00
Released On : 07-08-2023 17:03:00

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673