

LABORATORY REPORT

Name	: OMAR HUSNI	File. No.	: AAL02-334520
DOB/Gender	: 18-09-1993 (29 Yrs 10 Month 22 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232210119	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 09-08-2023 13:15	Clinic File No	: 38842
Insurance	: No		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	4.69	10 ¹² /L	4.50 - 5.50	Hydrodynamic focusing (DC Detection)
Haemoglobin	14.2	g/dl	13.0 - 17.0	Photometry-SLS
HCT	42.1	%	40.0 - 50.0	Hydrodynamic focusing
MCV	89.8	fl	83.0 - 101.0	Calculation
MCH	30.3	pg	27-32	Calculation
MCHC	33.7	g/dL	31.5 - 34.5	Calculation
Platelet Count	236	10 ³ /uL	150 - 400	Hydrodynamic Focusing(DCD)
WBC	5.24	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	47.5	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	43.5 ^H	%	20.0 - 40.0	Flow Cytometry
Monocytes	7.6	%	2.0-10.0	Flow Cytometry
Eosinophils	0.8 ^L	%	1 - 6	Flow Cytometry
Basophils	0.6	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	2.49	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	2.28	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.40	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.04	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.03	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 08-08-2023 18:00:00
Authenticated On : 09-08-2023 15:13:03
Printed On : 09-08-2023 16:59:46

Received On : 09-08-2023 13:16:00
Released On : 09-08-2023 16:47:28

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: OMAR HUSNI	File. No.	: AAL02-334520
DOB/Gender	: 18-09-1993 (29 Yrs 10 Month 22 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232210119	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 09-08-2023 13:15	Clinic File No	: 38842
Insurance	: No		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 08-08-2023 18:00:00 Received On : 09-08-2023 13:16:00
Authenticated On : 09-08-2023 15:13:03 Released On : 09-08-2023 16:47:28
Printed On : 09-08-2023 16:59:46



Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: OMAR HUSNI	File. No.	: AAL02-334520
DOB/Gender	: 18-09-1993 (29 Yrs 10 Month 22 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232210119	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 09-08-2023 13:15	Clinic File No	: 38842
Insurance	: No		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Glucose(RBS)	83.89	mg/dL	Fasting: 70 - 100 1 hr post eating: 70 - 187 2 hrs post eating: 70 - 134	Hexokinase/G-6-PDH
<i>Sample Type : Fluoride Plasma</i>				
CRP - quant (serum)	2.80	mg/L	< 5.0	Immunoturbidimetric
<i>Sample Type : Serum</i>				

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 08-08-2023 18:00:00 Received On : 09-08-2023 13:16:00
Authenticated On : 09-08-2023 15:13:03 Released On : 09-08-2023 16:47:28
Printed On : 09-08-2023 16:59:46

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673