

LABORATORY REPORT

Name	: MUHAMMAD HAMZA MUHAMMAD JAVED	File. No.	: AAL02-335053
DOB/Gender	: 10-06-1995 (28 Yrs 2 Month 2 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232230267	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 11-08-2023 20:53	Clinic File No	: 38208
Insurance	: NEXTCARE		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	5.73^H	10 ¹² /L	4.50 - 5.50	Hydrodynamic focusing (DC Detection)
Haemoglobin	16.7	g/dl	13.0 - 17.0	Photometry-SLS
HCT	47.5	%	40.0 - 50.0	Hydrodynamic focusing
MCV	82.9^L	fl	83.0 - 101.0	Calculation
MCH	29.1	pg	27-32	Calculation
MCHC	35.2^H	g/dL	31.5 - 34.5	Calculation
Platelet Count	234	10 ³ /uL	150 - 400	Hydrodynamic Focusing(DCD)
WBC	6.52	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	57.0	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	33.1	%	20.0 - 40.0	Flow Cytometry
Monocytes	7.7	%	2.0-10.0	Flow Cytometry
Eosinophils	1.7	%	1 - 6	Flow Cytometry
Basophils	0.5	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	3.72	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	2.16	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.50	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.11	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.03	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 11-08-2023 20:40:00
Authenticated On : 11-08-2023 22:22:17
Printed On : 11-08-2023 23:18:13

Received On : 11-08-2023 21:08:00
Released On : 11-08-2023 22:29:28
Reprinted On : 12-08-2023 11:16:32

Prings

Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: MUHAMMAD HAMZA MUHAMMAD JAVED	File. No.	: AAL02-335053
DOB/Gender	: 10-06-1995 (28 Yrs 2 Month 2 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232230267	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 11-08-2023 20:53	Clinic File No	: 38208
Insurance	: NEXTCARE		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 11-08-2023 20:40:00
Authenticated On : 11-08-2023 22:22:17
Printed On : 11-08-2023 23:18:13

Received On : 11-08-2023 21:08:00
Released On : 11-08-2023 22:29:28
Reprinted On : 12-08-2023 11:16:32



Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: MUHAMMAD HAMZA MUHAMMAD JAVED	File. No.	: AAL02-335053
DOB/Gender	: 10-06-1995 (28 Yrs 2 Month 2 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232230267	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 11-08-2023 20:53	Clinic File No	: 38208
Insurance	: NEXTCARE		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Alpha Amylase - Total (serum)	58.8	U/L	28 - 100	Enzymatic/Colorimetric

Kindly note new reference range for Amylase updated w.e.f 22/03/2022.

Lipase (serum)	37.4	U/L	8.0 - 78.0	Quinone Dye
<i>Sample Type : Serum</i>				

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 11-08-2023 20:40:00
Authenticated On : 11-08-2023 22:22:17
Printed On : 11-08-2023 23:18:13

Received On : 11-08-2023 21:08:00
Released On : 11-08-2023 22:29:28
Reprinted On : 12-08-2023 11:16:32

Pring

Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822