

Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ما المام Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name: YUDHI PURATMAJI PURWADI

: 03-07-1996 (27 Yrs 1 Month 14 Days/Male)

Lab No. : **22232280283**

Request Date : 16-08-2023 20:48

Insurance : No

DOB/Gender

File. No. : AAL02-336317

Referral Doctor : Self

Referral Clinic : Peshawar(Irham Medical Center)

Clinic File No : 36703

IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
HBsAg (serum)	0.15	S/CO	Non-Reactive: < 1 Reactive: >= 1	CMIA
Hepatitis B "s" Ag Interpretation	Non-Reactive		Non-Reactive	
HCV Abs (serum)	0.06	S/CO	Non-Reactive: < 1 Reactive: >= 1	CMIA
Hepatitis C Virus Interpretation	Non-Reactive		Non-Reactive	

Note: Patient with acute HCV infection may still be non-reactive for HCV abs ('diagnostic window')

Sample Type : Serum

These tests are accredited under ISO 15189:2012 unless specified by (*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469 H/L Collected On: 16-08-2023 19:00:00 Authenticated On: 16-08-2023 22:37:51

Printed On: 16-08-2023 23:46:25

Received On: 16-08-2023 20:49:00 Released On: 16-08-2023 22:42:13 Reprinted On: 17-08-2023 10:26:14 me

Padmapriya Kumareshan

Sr. Technician

DHA/LS2992011/243822





Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

: YUDHI PURATMAJI PURWADI Name

: 03-07-1996 (27 Yrs 1 Month 14 Days/Male)

Lab No. : 22232280283

Request Date : 16-08-2023 20:48

Insurance : No

DOB/Gender

File. No. : AAL02-336317

Referral Doctor : Self

Referral Clinic : Peshawar(Irham Medical Center)

Clinic File No : 36703

MICROBIOLOGY/BACTERIOLOGY/BODY FLUIDS

Test Name	Result	Units	Ref. Range	Method
STOOL ANALYSIS				
STOOL (MACROSCOPY)				
Color	Brown		Brown	Manual Macroscopy
Consistency	Formed		Formed/Soft	Macroscopy
Blood	Absent		Absent	Macroscopy
Mucus	Absent		Absent	Macroscopy
STOOL MICROSCOPY				
Pus Cells	0 - 1	HPF	1 - 2	Microscopy
RBC	Absent	HPF	0 - 1	Microscopy
Epithelial cells	Absent	HPF	Absent	Microscopy
CYSTS	Absent	HPF	Absent	Microscopy
OVA	Absent	HPF	Absent	Microscopy
Parasites	Absent	HPF	Absent	Microscopy
Protozoa	Absent	HPF	Absent	Microscopy
Worms	Absent	HPF	Absent	Microscopy
Indigestive material	Absent	HPF	Absent	Microscopy
Yeast Cells	+	HPF	Absent	Microscopy

Kindly note test reports for Stool samples include Parasitology (Ova, Cysts & Parasites). This is based on wet mount and not concentrated process. Sample Type: Stool

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

H/L Collected On: 16-08-2023 19:00:00 Authenticated On: 16-08-2023 22:37:51 Printed On: 16-08-2023 23:46:25

Released On: 16-08-2023 22:42:13 Reprinted On: 17-08-2023 10:26:14

Received On: 16-08-2023 20:49:00

Padmapriya Kumareshan Sr. Technician



