

LABORATORY REPORT

Name	: AMAR HELEN UDEGBUNAM	File. No.	: AAL02-337405
DOB/Gender	: 16-03-1990 (33 Yrs 5 Month 6 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232330102	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 21-08-2023 12:43	Clinic File No	: 28088
Insurance	: No		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	4.92 ^H	10 ¹² /L	3.80 - 4.80	Hydrodynamic focusing (DC Detection)
Haemoglobin	10.1 ^L	g/dl	12.0 - 15.0	Photometry-SLS
HCT	35.3 ^L	%	36.0 - 46.0	Hydrodynamic focusing
MCV	71.7 ^L	fl	83.0 - 101.0	Calculation
MCH	20.5 ^L	pg	27-32	Calculation
MCHC	28.6 ^L	g/dL	31.5 - 34.5	Calculation
Platelet Count	262	10 ³ /uL	150-400	Hydrodynamic Focusing(DCD)
WBC	2.85 ^L	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	43.5	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	38.6	%	20.0 - 40.0	Flow Cytometry
Monocytes	14.0 ^H	%	2-10	Flow Cytometry
Eosinophils	3.2	%	1 - 6	Flow Cytometry
Basophils	0.7	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	1.24 ^L	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	1.10	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.40	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.09	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.02	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Recommended to do peripheral smear, iron studies and thalassemia screening. Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 21-08-2023 11:00:00
Authenticated On : 21-08-2023 16:27:39
Printed On : 22-08-2023 08:12:26

Received On : 21-08-2023 12:44:00
Released On : 21-08-2023 16:50:13
Reprinted On : 22-08-2023 11:16:54



Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: AMAR HELEN UDEGBUNAM	File. No.	: AAL02-337405
DOB/Gender	: 16-03-1990 (33 Yrs 5 Month 6 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232330102	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 21-08-2023 12:43	Clinic File No	: 28088
Insurance	: No		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 21-08-2023 11:00:00
Authenticated On : 21-08-2023 16:27:39
Printed On : 22-08-2023 08:12:26

Received On : 21-08-2023 12:44:00
Released On : 21-08-2023 16:50:13
Reprinted On : 22-08-2023 11:16:55



Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: AMAR HELEN UDEGBUNAM	File. No.	: AAL02-337405
DOB/Gender	: 16-03-1990 (33 Yrs 5 Month 6 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232330102	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 21-08-2023 12:43	Clinic File No	: 28088
Insurance	: No		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
CRP - quant (serum)	3.65	mg/L	< 5.0	Immunoturbidimetric

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 21-08-2023 11:00:00
Authenticated On : 21-08-2023 15:36:54
Printed On : 21-08-2023 16:06:29

Received On : 21-08-2023 12:44:00
Released On : 21-08-2023 15:57:39
Reprinted On : 22-08-2023 11:16:55

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673