

LABORATORY REPORT

Name	: MOHAMMED SALIM KADER EISIN BAPARI	File. No.	: AAL02-337721
DOB/Gender	: 01-01-1982 (41 Yrs 7 Month 22 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232340148	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 22-08-2023 13:15	Clinic File No	: 33141
Insurance	: No		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Glucose - Fasting	115.41^H	mg/dL	70 - 100	Hexokinase/G-6-PDH

According to American Diabetes Association 2010, fasting plasma glucose (FPG) levels of (100-125 mg/dl) are in the increased risk category for diabetes.

Sample Type : Fluoride Plasma

ALP (serum)	107.0	U/L	50 - 116	Para-nitrophenyl Phosphate
--------------------	-------	-----	----------	----------------------------

Kindly note that the reference range is effective from 17-01-2023.

Calcium (serum)	10.0	mg/dL	8.4 - 10.2	Arsenazo III
Phosphorus (serum)	3.5	mg/dL	2.3 - 4.7	Phosphomolybdate

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 22-08-2023 12:00:00
Authenticated On : 22-08-2023 16:54:18
Printed On : 23-08-2023 00:23:16

Received On : 22-08-2023 13:16:00
Released On : 22-08-2023 17:31:02
Reprinted On : 23-08-2023 10:23:57



Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: MOHAMMED SALIM KADER EISIN BAPARI	File. No.	: AAL02-337721
DOB/Gender	: 01-01-1982 (41 Yrs 7 Month 22 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232340148	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 22-08-2023 13:15	Clinic File No	: 33141
Insurance	: No		

LIPID PROFILE I CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Cholesterol (serum)	168.9	mg/dL	Desirable: < 200 Border High: 200 - 239 High: >= 240	Enzymatic
Triglycerides (serum)	58.0	mg/dL	Normal: < 150 Borderline High: 150 - 199 High: 200 - 499 Very High: >= 500	Glycerol Phosphate Oxidase
HDL Cholesterol	40.1	mg/dL	> 40.0	Accelerator Selective Detergent
LDL Cholesterol	107.6	mg/dL	Optimal: < 100 Near Optimal: 100 - 129 Borderline High: 130 - 159 High: 160 - 189 Very High: >= 190	Liquid Selective detergent
*VLDL	21.3	mg/dL	5.0 - 30.0	Calculation
*Cholesterol / HDL	4.2	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: > 6	Calculation

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 22-08-2023 12:00:00
Authenticated On : 22-08-2023 16:54:18
Printed On : 23-08-2023 00:23:16

Received On : 22-08-2023 13:16:00
Released On : 22-08-2023 17:31:02
Reprinted On : 23-08-2023 10:23:57

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673