

LABORATORY REPORT

Name	: AMEERA ADNAN	File. No.	: AAL02-336470
DOB/Gender	: 17-06-2023 (2 Month 8 Days/Female)	Referral Doctor	: Dr. Mohammadmahdi Ghodstehrani
Lab No.	: 22232360104	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 24-08-2023 13:00	Clinic File No	: 40721
Insurance	: No		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Calcium (serum)	10.7	mg/dL	9.0 - 11.0	Arsenazo III
Sample Type : Serum				

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 24-08-2023 11:00:00
Authenticated On : 24-08-2023 18:51:10
Printed On : 24-08-2023 23:50:45

Received On : 24-08-2023 13:00:00
Released On : 24-08-2023 19:05:23
Reprinted On : 25-08-2023 11:56:46

Pring

Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: AMEERA ADNAN	File. No.	: AAL02-336470
DOB/Gender	: 17-06-2023 (2 Month 8 Days/Female)	Referral Doctor	: Dr. Mohammadmahdi Ghodstehrani
Lab No.	: 22232360104	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 24-08-2023 13:00	Clinic File No	: 40721
Insurance	: No		

HORMONES/ENDOCRINE/TUMOR MARKERS

Test Name	Result	Units	Ref. Range	Method
*PTH intact (serum)	5.7 ^L	pg/mL	12.0 - 95.0	CLIA

Concentration of biotin greater than 1500 ng/mL may affect the patient result.

Remarks:

Rechecked & repeated. Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : EDTA / Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 24-08-2023 11:00:00
Authenticated On : 24-08-2023 18:51:10
Printed On : 24-08-2023 23:50:45

Received On : 24-08-2023 13:00:00
Released On : 24-08-2023 19:05:23
Reprinted On : 25-08-2023 11:56:46



Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822