

LABORATORY REPORT

Name	: DINESH GOTAME	File. No.	: AAL02-294474
DOB/Gender	: 13-04-1996 (27 Yrs 4 Month 13 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232380136	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 26-08-2023 13:42	Clinic File No	: 38676
Insurance	: No		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	5.11	10 ¹² /L	4.50 - 5.50	Hydrodynamic focusing (DC Detection)
Haemoglobin	16.1	g/dl	13.0 - 17.0	Photometry-SLS
HCT	45.7	%	40.0 - 50.0	Hydrodynamic focusing
MCV	89.4	fl	83.0 - 101.0	Calculation
MCH	31.5	pg	27-32	Calculation
MCHC	35.2 ^H	g/dL	31.5 - 34.5	Calculation
Platelet Count	246	10 ³ /uL	150 - 400	Hydrodynamic Focusing(DCD)
WBC	7.84	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	55.8	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	27.3	%	20.0 - 40.0	Flow Cytometry
Monocytes	15.9 ^H	%	2.0-10.0	Flow Cytometry
Eosinophils	0.6 ^L	%	1 - 6	Flow Cytometry
Basophils	0.4	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	4.37	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	2.14	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	1.25 ^H	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.05	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.03	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 26-08-2023 11:00:00
Authenticated On : 26-08-2023 15:25:41
Printed On : 26-08-2023 17:18:55

Received On : 26-08-2023 13:42:00
Released On : 26-08-2023 15:55:37

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: DINESH GOTAME	File. No.	: AAL02-294474
DOB/Gender	: 13-04-1996 (27 Yrs 4 Month 13 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232380136	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 26-08-2023 13:42	Clinic File No	: 38676
Insurance	: No		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 26-08-2023 11:00:00 Received On : 26-08-2023 13:42:00
Authenticated On : 26-08-2023 15:25:41 Released On : 26-08-2023 15:55:37
Printed On : 26-08-2023 17:18:55

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: DINESH GOTAME	File. No.	: AAL02-294474
DOB/Gender	: 13-04-1996 (27 Yrs 4 Month 13 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232380136	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 26-08-2023 13:42	Clinic File No	: 38676
Insurance	: No		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
CRP - quant (serum)	9.22 ^H	mg/L	< 5.0	Immunoturbidimetric

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only to the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 26-08-2023 11:00:00 Received On : 26-08-2023 13:42:00
Authenticated On : 26-08-2023 15:25:41 Released On : 26-08-2023 15:55:37
Printed On : 26-08-2023 17:18:55

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673