

LABORATORY REPORT

Name	: FATMAH WAMBUI	File. No.	: AAL02-339644
DOB/Gender	: 02-08-1988 (35 Yrs 27 Days/Female)	Referral Doctor	: Self
Lab No.	: 22232410144	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 29-08-2023 13:22	Clinic File No	: 40813
Insurance	: No		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	4.37	10 ¹² /L	3.80 - 4.80	Hydrodynamic focusing (DC Detection)
Haemoglobin	9.5 ^L	g/dl	12.0 - 15.0	Photometry-SLS
HCT	32.0 ^L	%	36.0 - 46.0	Hydrodynamic focusing
MCV	73.2 ^L	fl	83.0 - 101.0	Calculation
MCH	21.7 ^L	pg	27-32	Calculation
MCHC	29.7 ^L	g/dL	31.5 - 34.5	Calculation
Platelet Count	386	10 ³ /uL	150-400	Hydrodynamic Focusing(DCD)
WBC	6.37	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	57.9	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	30.6	%	20.0 - 40.0	Flow Cytometry
Monocytes	8.0	%	2-10	Flow Cytometry
Eosinophils	1.9	%	1 - 6	Flow Cytometry
Basophils	1.6	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	3.69	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	1.95	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.51	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.12	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.10	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Recommended to do peripheral smear, iron studies and thalassemia screening. Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 29-08-2023 12:00:00
Authenticated On : 29-08-2023 15:32:12
Printed On : 29-08-2023 15:44:40

Received On : 29-08-2023 13:24:00
Released On : 29-08-2023 15:43:21
Reprinted On : 29-08-2023 15:45:04



Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: FATMAH WAMBUI	File. No.	: AAL02-339644
DOB/Gender	: 02-08-1988 (35 Yrs 27 Days/Female)	Referral Doctor	: Self
Lab No.	: 22232410144	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 29-08-2023 13:22	Clinic File No	: 40813
Insurance	: No		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 29-08-2023 12:00:00
Authenticated On : 29-08-2023 15:32:12
Printed On : 29-08-2023 15:44:40

Received On : 29-08-2023 13:24:00
Released On : 29-08-2023 15:43:21
Reprinted On : 29-08-2023 15:45:04



Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: FATMAH WAMBUI	File. No.	: AAL02-339644
DOB/Gender	: 02-08-1988 (35 Yrs 27 Days/Female)	Referral Doctor	: Self
Lab No.	: 22232410144	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 29-08-2023 13:22	Clinic File No	: 40813
Insurance	: No		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
CRP - quant (serum)	1.72	mg/L	< 5.0	Immunoturbidimetric

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 29-08-2023 12:00:00
Authenticated On : 29-08-2023 15:32:12
Printed On : 29-08-2023 15:44:40

Received On : 29-08-2023 13:24:00
Released On : 29-08-2023 15:43:21
Reprinted On : 29-08-2023 15:45:04



Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673