

Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ا ١٥١٨٩ Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : WARDA SHAFIK TAWFIK IBRAHIM

: 01-02-1993 (30 Yrs 7 Month 14 Days/Female) Referral Doctor

DOB/Gender : **01-02-1993 (30 Yrs 7 Month 14 D**Lab No. : **22232490024**

Request Date : 06-09-2023 09:58:48

Insurance : **NEXTCARE**

File. No. : **AAL02-212714**

al Doctor : **Dr. Sajid Sanaullah Khan**

: Peshawar(Irham Medical Center)

Clinic File No : 40869

Referral Clinic

HORMONES/ENDOCRINE/TUMOR MARKERS

Test Name	Result	Units	Ref. Range	Method
B-HCG (serum)	11156.12 ^H	mIU/mI	Nonpregnant: < 5.0	CMIA

B-HCG ranges during normal pregnancy are:

Weeks post LMP = B-HCG (mIU/ml)

3-4 weeks = 9 - 130

4-5 weeks = 75 - 2600

5-6 weeks = 850 - 20800

6-7 weeks = 4000 - 100200

7-12 weeks = 11500 - 289000

12-16 weeks = 18300 - 137000

16-29 weeks = 1400 - 53000

29-41 weeks = 940 - 60000

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469 H/L Collected On: 05-09-2023 12:00:00 Received On: 06-09-2023 10:47:00
Authenticated On: 06-09-2023 13:11:21 Released On: 06-09-2023 15:30:41

eased On : 06-09-2023 15:30:41



DHA-P-0039673

