

LABORATORY REPORT

Name	: RAHAB MUTHONI NJOROG	File. No.	: AAL02-342280
DOB/Gender	: 23-04-1986 (37 Yrs 4 Month 15 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232500080	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 07-09-2023 11:50	Clinic File No	: 37749
Insurance	: No		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	4.34	10 ¹² /L	3.80 - 4.80	Hydrodynamic focusing (DC Detection)
Haemoglobin	13.0	g/dl	12.0 - 15.0	Photometry-SLS
HCT	39.6	%	36.0 - 46.0	Hydrodynamic focusing
MCV	91.2	fl	83.0 - 101.0	Calculation
MCH	30.0	pg	27-32	Calculation
MCHC	32.8	g/dL	31.5 - 34.5	Calculation
Platelet Count	226	10 ³ /uL	150-400	Hydrodynamic Focusing(DCD)
WBC	2.99 ^L	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	49.5	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	39.1	%	20.0 - 40.0	Flow Cytometry
Monocytes	9.7	%	2-10	Flow Cytometry
Eosinophils	1.0	%	1 - 6	Flow Cytometry
Basophils	0.7	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	1.48 ^L	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	1.17	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.29	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.03	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.02	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 07-09-2023 10:00:00
Authenticated On : 07-09-2023 15:21:30
Printed On : 07-09-2023 17:30:56

Received On : 07-09-2023 11:51:00
Released On : 07-09-2023 17:22:09



Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: RAHAB MUTHONI NJORGE	File. No.	: AAL02-342280
DOB/Gender	: 23-04-1986 (37 Yrs 4 Month 15 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232500080	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 07-09-2023 11:50	Clinic File No	: 37749
Insurance	: No		

Test Name	Result	Units	Ref. Range	Method
Sample Type : EDTA WB				
Malaria Smear	Negative		Negative	Microscopy

***Please note that Negative films do not exclude a diagnosis of malaria and that repeat films should be requested after 12 -24hrs if there is strong clinical suspicion of malaria.(bjh Guideline 2013,163,573 - 580)

Sample Type : WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 07-09-2023 10:00:00 Received On : 07-09-2023 11:51:00
Authenticated On : 07-09-2023 15:21:30 Released On : 07-09-2023 17:22:09
Printed On : 07-09-2023 17:30:56

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: RAHAB MUTHONI NJOROG	File. No.	: AAL02-342280
DOB/Gender	: 23-04-1986 (37 Yrs 4 Month 15 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232500080	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 07-09-2023 11:50	Clinic File No	: 37749
Insurance	: No		

MICROBIOLOGY/BACTERIOLOGY/BODY FLUIDS

Test Name	Result	Units	Ref. Range	Method
<u>URINE ROUTINE (URINALYSIS)</u>				
<u>PHYSICAL EXAMINATION</u>				
Color	Yellow		Yellow	Light Scatter
Appearance	Cloudy		Clear	Light Scatter
Specific Gravity	1.033 ^H		1.005 - 1.030	Refractrometry
PH	5.00		4.6 - 8.0	Litmus reaction
Glucose	Negative		Negative	Enz.Rn/Reflect
Ketone	+		Negative	Legal's method
Protein	+		Negative	Dye Binding
Blood	Negative		Negative	Peroxidase Activity/Reflectance
Bilirubin	Negative		Negative	Acidified Diazo Coupling
Urobilinogen	Normal	mg/dL	Normal 0.2 - 1.0	Buffered Diazo Coupling
Nitrite	Negative		Negative	Mod. Gries Rn
Leukocytes.	Trace		Negative	Enz.Rn/Reflect
<u>MICROSCOPIC EXAMINATION</u>				
Pus Cells	10 - 15	/HPF	1 - 4	F.D.I/Microscopy
RBC's	0 - 1	/HPF	0 - 2	F.D.I/Microscopy
Epithelial cells	6 - 10	/HPF	1 - 4	F.D.I/Microscopy
Bacteria	Absent	/HPF	Absent	F.D.I/Microscopy
Yeast cells	Absent	/HPF	Absent	F.D.I/Microscopy
Trichomonas Vaginalis	Absent	/HPF	Absent	F.D.I/Microscopy
Mucus Threads	+++	/HPF	Absent	F.D.I/Microscopy
Crystals	Absent	/HPF	Absent	F.D.I/Microscopy
Casts	Absent	/LPF	Absent	F.D.I/Microscopy

Bilirubin and Urobilinogen when exposed to sunlight leads to artificially low results, hence recommended to collect urine in dark container for analyzing Urine

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 07-09-2023 10:00:00
Authenticated On : 07-09-2023 15:31:19
Printed On : 07-09-2023 17:30:56

Received On : 07-09-2023 11:51:00
Released On : 07-09-2023 17:22:09



Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: RAHAB MUTHONI NJORGE	File. No.	: AAL02-342280
DOB/Gender	: 23-04-1986 (37 Yrs 4 Month 15 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232500080	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 07-09-2023 11:50	Clinic File No	: 37749
Insurance	: No		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Bilirubin and Urobilinogen if clinically indicated.

Kindly note the new methodology is effective from 31-10-2022.

Remarks:

Test results to be interpreted in light of clinical history .To be investigated further if clinically indicated.

Sample Type : Urine

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 07-09-2023 10:00:00 Received On : 07-09-2023 11:51:00
Authenticated On : 07-09-2023 15:31:19 Released On : 07-09-2023 17:22:09
Printed On : 07-09-2023 17:30:56



Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673