

LABORATORY REPORT

Name	: NEHAL SABAH JIBOURI	File. No.	: AAL02-342819
DOB/Gender	: 12-11-1981 (41 Yrs 9 Month 30 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232530298	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 10-09-2023 18:27	Clinic File No	: 38074
Insurance	: ALMADALLAH HEALTHCARE MANAGEMENT		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Glucose - Fasting	77.01	mg/dL	70 - 100	Hexokinase/G-6-PDH

According to American Diabetes Association 2010, fasting plasma glucose (FPG) levels of (100-125 mg/dl) are in the increased risk category for diabetes.

Sample Type : Fluoride Plasma

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 09-09-2023 11:00:00
Authenticated On : 11-09-2023 01:02:50
Printed On : 11-09-2023 10:27:34

Received On : 10-09-2023 18:28:00
Released On : 11-09-2023 01:32:52
Reprinted On : 11-09-2023 10:27:46

Rhea Suberon
Medical Laboratory Technician
DHA/LS/123639

LABORATORY REPORT

Name : **NEHAL SABAH JIBOURI** File. No. : **AAL02-342819**
DOB/Gender : **12-11-1981 (41 Yrs 9 Month 30 Days/Female)** Referral Doctor : **Dr. Enomen Goodluck Ekata**
Lab No. : **22232530298** Referral Clinic : **Peshawar(Irham Medical Center)**
Request Date : **10-09-2023 18:27** Clinic File No : **38074**
Insurance : **ALMADALLAH HEALTHCARE MANAGEMENT**

HORMONES/ENDOCRINE/TUMOR MARKERS

Test Name	Result	Units	Ref. Range	Method
TSH (serum)	0.9439	μIU/mL	0.3500 - 4.9400 Pregnancy First Trimester : 0.1 - 2.5 Second Trimester : 0.2 - 3.0 Third Trimester : 0.3 - 3.0	CMIA

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 09-09-2023 11:00:00
Authenticated On : 11-09-2023 01:02:10
Printed On : 11-09-2023 10:27:34

Received On : 10-09-2023 18:28:00
Released On : 11-09-2023 01:32:52
Reprinted On : 11-09-2023 10:27:46

Rhea Suberon
Medical Laboratory Technician
DHA/LS/123639