

LABORATORY REPORT

Name	: NEHAL SABAH JIBOURI	File. No.	: AAL02-342819
DOB/Gender	: 12-11-1981 (41 Yrs 9 Month 28 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232520090	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 09-09-2023 13:00:20	Clinic File No	: 38074
Insurance	: No		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Iron (serum)	122.6	ug/dL	50.0 - 170.0	Ferene
Total Iron Binding Capacity (TIBC)	306.8	ug/dL	250.0 - 450.0	Calculation

Sample Type : Serum

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 09-09-2023 11:00:00 Received On : 09-09-2023 13:01:00
Authenticated On : 09-09-2023 14:32:23 Released On : 09-09-2023 14:46:29

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: NEHAL SABAH JIBOURI	File. No.	: AAL02-342819
DOB/Gender	: 12-11-1981 (41 Yrs 9 Month 28 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232520090	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 09-09-2023 13:00:20	Clinic File No	: 38074
Insurance	: No		

HORMONES/ENDOCRINE/TUMOR MARKERS

Test Name	Result	Units	Ref. Range	Method
Total T3 (serum)	76.4	ng/dL	35.0 - 193.0	CMIA

Kindly note new reference range for Total T3 effective from 06/03/2021

Total T4 (serum)	7.54	ug/dL	4.87 - 11.72	CMIA
Sample Type : Serum				

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 09-09-2023 11:00:00 Received On : 09-09-2023 13:01:00
Authenticated On : 09-09-2023 14:32:23 Released On : 09-09-2023 14:46:29

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: NEHAL SABAH JIBOURI	File. No.	: AAL02-342819
DOB/Gender	: 12-11-1981 (41 Yrs 9 Month 28 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22232520090	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 09-09-2023 13:00:20	Clinic File No	: 38074
Insurance	: No		

KIDNEY FUNCTION TEST CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Urea (serum)	45.92^H	mg/dL	12.84 - 42.80	Urease
Kindly note new reference range for Urea effective from 31/1/2022				
Creatinine (serum)	0.90	mg/dL	0.5 - 1.1	Alkaline Picrate
Kindly note that the reference range is effective from 17-01-2023.				
Uric Acid (serum)	4.56	mg/dL	2.5 - 6.2	Uricase
Kindly note new reference range for Uric acid effective from 20/1/2022				
Calcium (serum)	9.2	mg/dL	8.4 - 10.2	Arsenazo III
Phosphorus (serum)	3.6	mg/dL	2.3 - 4.7	Phosphomolybdate
Protein- Total (serum)	6.76	g/dL	6.40 - 8.30	Biuret
Albumin (serum)	4.45	g/dL	3.50 - 5.00	Bromocresol Purple
Kindly note new reference range for Albumin reference range updated as on 18th December 2021.				
Globulin (serum)	2.31^L	g/dL	2.50 - 3.50	Calculation
Sodium (serum)	141.0	mmol/L	135.0 - 145.0	ISE
Potassium (serum)	4.6	mmol/L	3.8 - 5.5	ISE
Chloride (serum)	103.0	mmol/L	98.0 - 107.0	ISE

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 09-09-2023 11:00:00
Authenticated On : 09-09-2023 14:32:23

Received On : 09-09-2023 13:01:00
Released On : 09-09-2023 14:46:29

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673