



Laboratory Investigation Report

BML262577

Name : Mr. WALEED KHALED
DOB : 15/06/1989
Age / Gender : 34 Y / Male
Referred by : Dr. Enomen Goodluck Ekata
Centre : Peshawar Medical Center LLC

Ref No. :
Sample No. : 2309265983
Collected : 09/09/2023 20:00
Registered : 09/09/2023 22:49
Reported : 10/09/2023 08:36


BIOCHEMISTRY

Test	Result	Flag	Unit	Reference Range	Methodology
C-REACTIVE PROTEIN (CRP)	118.3	CH	mg/L	< 6.0 Please note change in reference range.	Immunoturbidimetry

Comments : Rechecked. Please correlate clinically.

Sample Type : Serum

End of Report



Dr. Adley Mark Fernandes

M.D (Pathology)

Pathologist

This is an electronically authenticated report

Page 1 of 3

ANJUMOL D V


ANJUMOL D V

Laboratory Technologist

Printed on: 10/09/2023 08:38

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





BML262577

Name : Mr. WALEED KHALED
DOB : 15/06/1989
Age / Gender : 34 Y / Male
Referred by : Dr. Enomen Goodluck Ekata
Centre : Peshawar Medical Center LLC

Ref No. :
Sample No. : 2309265983
Collected : 09/09/2023 20:00
Registered : 09/09/2023 22:49
Reported : 10/09/2023 01:13

HEMATOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
COMPLETE BLOOD COUNT (CBC)					
HEMOGLOBIN	15.5		g/dL	13.5 - 17.5	Spectrophotometry (Oxyhemoglobin)
RBC COUNT	6.2	H	10 ⁶ /μL	4.3 - 5.7	Electrical Impedance
HEMATOCRIT	47.5		%	38 - 50	Calculation
MCV	77	L	fL	82 - 98	Calculation
MCH	25.2	L	pg	27 - 32	Calculation
MCHC	32.7		g/dL	32 - 37	Calculation
RDW	15.8	H	%	11.8 - 15.6	Calculation
RDW-SD	42.9		fL		Calculation
MPV	9.1		fL	7.6 - 10.8	Calculation
PLATELET COUNT	201		10 ³ /μL	150 - 450	Electrical Impedance
PCT	0.2		%	0.01 - 9.99	Calculation
PDW	17		Not Applicable	0.1 - 99.9	Calculation
NUCLEATED RBC (NRBC)^	0.4		/100 WBC		Flow Cytometry
ABSOLUTE NRBC COUNT^	0.04		10 ³ /uL		Calculation
EARLY GRANULOCYTE COUNT (EGC)^	0.4		%		Flow Cytometry
ABSOLUTE EGC^	0		10 ³ /uL		Calculation
WBC COUNT	8.7		10 ³ /μL	4 - 11	Electrical Impedance
DIFFERENTIAL COUNT (DC)					
NEUTROPHILS	54		%	40 - 75	Flow Cytometry
LYMPHOCYTES	40		%	20 - 45	Flow Cytometry
EOSINOPHILS	0		%	0 - 6	Flow Cytometry
MONOCYTES	6		%	1 - 6	Flow Cytometry
BASOPHILS	0		%	0 - 1	Flow Cytometry
ABSOLUTE COUNT					
ABSOLUTE NEUTROPHIL COUNT	4.7		10 ³ /uL	1.6 - 8.25	Calculation
ABSOLUTE LYMPHOCYTE COUNT	3		10 ³ /uL	0.8 - 4.95	Calculation
ABSOLUTE MONOCYTE COUNT	0.6		10 ³ /uL	0.04 - 0.66	Calculation
ABSOLUTE EOSINOPHIL COUNT	0		10 ³ /uL	0 - 0.66	Calculation
ABSOLUTE BASOPHIL COUNT	0		10 ³ /uL	0 - 0.11	Calculation

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

This is an electronically authenticated report

Page 2 of 3



MIDHUN MANIKANDAN GEETHA
Laboratory Technologist
 Printed on: 10/09/2023 08:38

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





Laboratory Investigation Report

BML262577

Name : Mr. WALEED KHALED
DOB : 15/06/1989
Age / Gender : 34 Y / Male
Referred by : Dr. Enomen Goodluck Ekata
Centre : Peshawar Medical Center LLC

Ref No. :
Sample No. : 2309265983
Collected : 09/09/2023 20:00
Registered : 09/09/2023 22:49
Reported : 10/09/2023 01:13

HEMATOLOGY


Test	Result	Flag	Unit	Reference Range	Methodology
------	--------	------	------	-----------------	-------------

COMPLETE BLOOD COUNT (CBC)

Interpretation Notes : Please note update on CBC report format and changes in reference ranges.

Sample Type : EDTA Whole Blood

End of Report



Dr. Adley Mark Fernandes

M.D (Pathology)

Pathologist

This is an electronically authenticated report

Page 3 of 3

MIDHUN MANIKANDAN GEETHA

Laboratory Technologist

Printed on: 10/09/2023 08:38

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

