

LABORATORY REPORT

Name	: GENET MELKA ASFAW	File. No.	: AAL02-347952
DOB/Gender	: 16-08-1978 (45 Yrs 1 Month 7 Days/Female)	Referral Doctor	: Dr. Rashmi Keshava Murthy Mosale
Lab No.	: 22232730477	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 30-09-2023 17:58	Clinic File No	: 38075
Insurance	: NEXTCARE		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
CRP - quant (serum)	2.01	mg/L	< 5.0	Immunoturbidimetric

Sample Type : Serum

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 28-09-2023 10:00:00
Authenticated On : 01-10-2023 02:22:07
Printed On : 01-10-2023 16:03:39

Received On : 30-09-2023 17:59:00
Released On : 01-10-2023 02:27:09



Esmeralda Obenita
Lab Incharge
DHA/LS/2992011/ 241430

LABORATORY REPORT

Name	: GENET MELKA ASFAW	File. No.	: AAL02-347952
DOB/Gender	: 16-08-1978 (45 Yrs 1 Month 7 Days/Female)	Referral Doctor	: Dr. Rashmi Keshava Murthy Mosale
Lab No.	: 22232730477	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 30-09-2023 17:58	Clinic File No	: 38075
Insurance	: NEXTCARE		

**LIPID PROFILE I
CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
Cholesterol (serum)	232.0^H	mg/dL	Desirable: < 200 Border High: 200 - 239 High: >= 240	Enzymatic
Triglycerides (serum)	69.0	mg/dL	Normal: < 150 Borderline High: 150 - 199 High: 200 - 499 Very High: >= 500	Glycerol Phosphate Oxidase
HDL Cholesterol	79.2	mg/dL	> 40.0	Accelerator Selective Detergent
LDL Cholesterol	145.5^H	mg/dL	Optimal: < 100 Near Optimal: 100 - 129 Borderline High: 130 - 159 High: 160 - 189 Very High: >= 190	Liquid Selective detergent
*VLDL	7.4	mg/dL	5.0 - 30.0	Calculation
*Cholesterol / HDL	2.9	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: > 6	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 28-09-2023 10:00:00
Authenticated On : 01-10-2023 02:22:07
Printed On : 01-10-2023 16:03:39
Received On : 30-09-2023 17:59:00
Released On : 01-10-2023 02:27:09



Esmeralda Obenita
Lab Incharge
DHA/LS/2992011/ 241430