


Laboratory Investigation Report



BML278417

Name	: Mr. HENRY HADDAD	Ref No.	: 35043
DOB	: 13/09/1980	Sample No.	: 2310281917
Age / Gender	: 43 Y / Male	Collected	: 04/10/2023 19:00
Referred by	: DR RASHMI	Registered	: 04/10/2023 22:39
Centre	: Peshawar Medical Center LLC	Reported	: 05/10/2023 03:03

CLINICAL PATHOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
URINE ANALYSIS (ROUTINE)					
MACROSCOPIC EXAMINATION					
COLOR	DARK YELLOW			Pale to Dark Yellow	Visual
APPEARANCE	TURBID			-	Visual
CHEMISTRY EXAMINATION					
SPECIFIC GRAVITY	>=1.030			1.002 - 1.035	Bromothymol blue
PH	6.0			4.5 - 8.0	Litmus paper
GLUCOSE	NEGATIVE			Negative	GOD / POD
BLOOD	+			Negative	Peroxidase
PROTEIN	NEGATIVE			Negative	Protein error of pH indicator
LEUKOCYTE ESTERASE	NEGATIVE			Negative	Esterase
UROBILINOGEN	0.2		E.U./dL	0.2 - 1.0	Diazo
BILIRUBIN	NEGATIVE			Negative	Diazo
KETONE	NEGATIVE			Negative	Legal's test
NITRITE	NEGATIVE			Negative	Griess test
MICROSCOPIC EXAMINATION					
LEUCOCYTES	0 - 1		/HPF	1 - 4	Microscopy
ERYTHROCYTES	0 - 1		/HPF	0 - 2	Microscopy
EPITHELIAL CELLS	0 - 1		/HPF	Variable	Microscopy
BACTERIA	ABSENT		/HPF	Absent	Microscopy
CASTS	ABSENT		/HPF	Absent	Microscopy
CRYSTALS	ABSENT		/HPF	Absent	Microscopy
AMORPHOUS URATES	+++		/HPF	-	Microscopy
OVA	ABSENT		/HPF	Absent	Microscopy and Micrometry

Comments : please correlate clinically.

Interpretation Notes :

Instrumentation used for Chemistry test: Siemens Clinitek Advantus.

Sample Type : URINE

End of Report

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist



MUBASHER ZAHOOR
Laboratory Technologist

This is an electronically authenticated report

Page 1 of 1

Printed on: 05/10/2023 11:37

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

