

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : NAKANWAGI PAULINE NDAULA File. No. : AAL02-346381

DOB/Gender

: 19-02-1991 (32 Yrs 7 Month 13 Days/Female) Referral Doctor

: Self

Lab No.

: 22232790133

Referral Clinic : Peshawar(Irham Medical Center)

Request Date : 06-10-2023 13:19:53

Clinic File No : 37041

Insurance : No

IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
HBsAb (serum)	18.61 ^H	mIU/mL	Non-Reactive: < 10.0 Reactive: => 10.0	CMIA

Remarks:

A "reactive" anti-HBs (or HBsAb) test result indicates that a person is protected against the hepatitis B virus. This protection can be the result of receiving the hepatitis B vaccine or successfully recovering from a past hepatitis B infection

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

H/L Collected On: 06-10-2023 11:00:00 Received On: 06-10-2023 13:21:00 Authenticated On: 06-10-2023 15:38:47 Released On: 06-10-2023 15:43:33

Padmapriya Kumareshan

Sr. Technician DHA/LS2992011/243822

