

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : MOHAMED EMAD

DOB/Gender : 20-04-2009 (14 Yrs 5 Month 17 Days/Male)

Lab No. : 22232800176

Request Date : 07-10-2023 14:05

Insurance : No File. No. : AAL02-350303

Referral Doctor : Dr. Enomen Goodluck Ekata

Referral Clinic : Peshawar(Irham Medical Center)

Clinic File No : 41104

**URINE FOR CULTURE & SENSITIVITY - URINE** 

Sample Type **Urine** 

Methodology: Microscopy; Aerobic Culture; Identification by Gram staining; API & AST by Disk diffusion method.

**Culture Yielded:** No bacterial growth after 48 hours of incubation

Remarks: Test results to be interpreted in light of clinical history .To be investigated further if clinically indicated.

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

H/L Collected On: 07-10-2023 09:00:00 Authenticated On: 09-10-2023 19:10:19 Printed On: 09-10-2023 22:19:34

Received On: 07-10-2023 14:42:00 Released On: 09-10-2023 19:16:38 Reprinted On: 10-10-2023 15:04:29

Thamburu Raman Med. Microbiology technologist

00160693-002

