


Laboratory Investigation Report



BML284310

Name : MOHSEN FAIZULLAHAMIRI
DOB : 21/04/2016
Age / Gender : 7 Y 5 M / Male
Referred by : DR. MAHDI
Centre : Peshawar Medical Center LLC

Ref No. : 39629
Sample No. : 2310287890
Collected : 13/10/2023 20:00
Registered : 13/10/2023 22:07
Reported : 14/10/2023 01:56

CLINICAL PATHOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
STOOL ANALYSIS (ROUTINE)					
MACROSCOPIC EXAMINATION					
COLOR	BROWN			-	Visual
CONSISTENCY	LOOSE			-	Visual
BLOOD	Absent			Absent	Visual
MUCUS	Absent			Absent	Visual
MICROSCOPIC EXAMINATION					
LEUCOCYTES	0 - 1		/HPF	Absent	Microscopy
ERYTHROCYTES	0 - 1			0 - 2	Microscopy
OVA	Absent			Absent	Microscopy and Micrometry
CYST	Absent		/HPF	Absent	Microscopy and Micrometry
ENTAMOEBA	Absent		/HPF	Absent	Microscopy
YEAST CELLS	Present		/HPF	Absent	Microscopy
UNDIGESTED FOOD PARTICLES	Present		/HPF	Absent	Microscopy
OTHERS	Absent		/HPF	Absent	Microscopy

Sample Type : Stool

End of Report

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report

Page 1 of 2




MIDHUN MANIKANDAN GEETHA
Laboratory Technologist

Printed on: 14/10/2023 13:10

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.



Laboratory Investigation Report



BML284310

Name	: MOHSEN FAIZULLAHAMIRI	Ref No.	: 39629
DOB	: 21/04/2016	Sample No.	: 2310287890
Age / Gender	: 7 Y 5 M / Male	Collected	: 13/10/2023 20:00
Referred by	: DR. MAHDI	Registered	: 13/10/2023 22:07
Centre	: Peshawar Medical Center LLC	Reported	: 14/10/2023 01:56

CLINICAL PATHOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
URINE ANALYSIS (ROUTINE)					
MACROSCOPIC EXAMINATION					
COLOR	YELLOW			Pale to Dark Yellow	Visual
APPEARANCE	CLEAR			-	Visual
CHEMISTRY EXAMINATION					
SPECIFIC GRAVITY	1.015			1.002 - 1.035	Bromothymol blue
PH	6.5			4.5 - 8.0	Litmus paper
GLUCOSE	NEGATIVE			Negative	GOD / POD
BLOOD	NEGATIVE			Negative	Peroxidase
PROTEIN	NEGATIVE			Negative	Protein error of pH indicator
LEUKOCYTE ESTERASE	NEGATIVE			Negative	Esterase
UROBILINOGEN	0.2		E.U./dL	0.2 - 1.0	Diazo
BILIRUBIN	NEGATIVE			Negative	Diazo
KETONE	NEGATIVE			Negative	Legal's test
NITRITE	NEGATIVE			Negative	Griess test
MICROSCOPIC EXAMINATION					
LEUCOCYTES	0 - 1		/HPF	1 - 4	Microscopy
ERYTHROCYTES	0 - 1		/HPF	0 - 2	Microscopy
EPITHELIAL CELLS	0 - 1		/HPF	Variable	Microscopy
BACTERIA	ABSENT		/HPF	Absent	Microscopy
CASTS	ABSENT		/HPF	Absent	Microscopy
CRYSTALS	ABSENT		/HPF	Absent	Microscopy
MUCUS THREADS	+		/HPF	-	Microscopy
OVA	ABSENT		/HPF	Absent	Microscopy and Micrometry

Interpretation Notes :

Instrumentation used for Chemistry test: Siemens Clinitek Advantus.

Sample Type : URINE

End of Report

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report

Page 2 of 2

MIDHUN MANIKANDAN GEETHA
Laboratory Technologist

Printed on: 14/10/2023 13:10

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

