

Laboratory Investigation Report

BML286030

Name : PUPUT API
DOB : 03/01/2003
Age / Gender : 20 Y / Female
Referred by : DR ENOMAN
Centre : Peshawar Medical Center LLC

Ref No. :
Sample No. : 2310289622
Collected : 15/10/2023 12:00
Registered : 16/10/2023 15:00
Reported : 16/10/2023 18:02

BIOCHEMISTRY

Test	Result	Flag	Unit	Reference Range	Methodology
C-REACTIVE PROTEIN (CRP)	0.7		mg/L	< 5.0 Please note change in reference range.	Immunoturbidimetry

Sample Type : Serum

End of Report

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

HARSHAD MANIKANDAN
Laboratory Technician

This is an electronically authenticated report


Page 1 of 4

Printed on: 16/10/2023 20:00

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.



Laboratory Investigation Report



BML286030

Name	: PUPUT API	Ref No.	:
DOB	: 03/01/2003	Sample No.	: 2310289622
Age / Gender	: 20 Y / Female	Collected	: 15/10/2023 12:00
Referred by	: DR ENOMAN	Registered	: 16/10/2023 15:00
Centre	: Peshawar Medical Center LLC	Reported	: 16/10/2023 17:25

CLINICAL PATHOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
URINE ANALYSIS (ROUTINE)					
MACROSCOPIC EXAMINATION					
COLOR	YELLOW			Pale to Dark Yellow	Visual
APPEARANCE	TURBID			-	Visual
CHEMISTRY EXAMINATION					
SPECIFIC GRAVITY	1.01			1.002 - 1.035	Bromothymol blue
PH	8			4.5 - 8.0	Litmus paper
GLUCOSE	++			Negative	GOD / POD
BLOOD	++			Negative	Peroxidase
PROTEIN	TRACE			Negative	Protein error of pH indicator
LEUKOCYTE ESTERASE	TRACE			Negative	Esterase
UROBILINOGEN	0.2		E.U./dL	0.2 - 1.0	Diazo
BILIRUBIN	NEGATIVE			Negative	Diazo
KETONE	++			Negative	Legal's test
NITRITE	NEGATIVE			Negative	Griess test
MICROSCOPIC EXAMINATION					
LEUCOCYTES	10 - 15	H	/HPF	1 - 4	Microscopy
ERYTHROCYTES	3 - 4	H	/HPF	0 - 2	Microscopy
EPITHELIAL CELLS	6 - 8		/HPF	Variable	Microscopy
BACTERIA	++		/HPF	Absent	Microscopy
Comments : Please correlate clinically.					
CASTS	ABSENT		/HPF	Absent	Microscopy
CRYSTALS	ABSENT		/HPF	Absent	Microscopy
OVA	ABSENT		/HPF	Absent	Microscopy and Micrometry

Interpretation Notes :

Instrumentation used for Chemistry test: Siemens Clinitek Advantus.

Sample Type : URINE

End of Report

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report


Page 2 of 4


MURSHIDHA MURINGAKODAN
Laboratory Technologist
Printed on: 16/10/2023 20:00

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.



Laboratory Investigation Report



BML286030

Name : PUPUT API
DOB : 03/01/2003
Age / Gender : 20 Y / Female
Referred by : DR ENOMAN
Centre : Peshawar Medical Center LLC

Ref No. :
Sample No. : 2310289622
Collected : 15/10/2023 12:00
Registered : 16/10/2023 15:00
Reported : 16/10/2023 16:52

HEMATOLOGY


Test	Result	Flag	Unit	Reference Range	Methodology
COMPLETE BLOOD COUNT (CBC)					
HEMOGLOBIN	12.6		g/dL	12 - 15.5	Spectrophotometry (Oxyhemoglobin)
RBC COUNT	4.5		10 ⁶ /μL	3.9 - 5	Electrical Impedance
HEMATOCRIT	36.9		%	35 - 45	Calculation
MCV	82.1		fL	82 - 98	Calculation
MCH	28		pg	27 - 32	Calculation
MCHC	34		g/dL	32 - 37	Calculation
RDW	13.3		%	11.9 - 15.5	Calculation
RDW-SD	38.5		fL		Calculation
MPV	9.2		fL	7.6 - 10.8	Calculation
PLATELET COUNT	255		10 ³ /μL	150 - 450	Electrical Impedance
PCT	0.2		%	0.01 - 9.99	Calculation
PDW	16.9		Not Applicable	0.1 - 99.9	Calculation
NUCLEATED RBC (NRBC) [^]	0.3		/100 WBC		Flow Cytometry
ABSOLUTE NRBC COUNT [^]	0.04		10 ³ /uL		Calculation
EARLY GRANULOCYTE COUNT (EGC) [^]	1.0		%		Flow Cytometry
ABSOLUTE EGC [^]	0.1		10 ³ /uL		Calculation
WBC COUNT	11.8	H	10 ³ /μL	4 - 11	Electrical Impedance
DIFFERENTIAL COUNT (DC)					
NEUTROPHILS	81	H	%	40 - 75	Flow Cytometry
LYMPHOCYTES	16	L	%	30 - 60	Flow Cytometry
EOSINOPHILS	0		%	0 - 6	Flow Cytometry
MONOCYTES	3		%	1 - 6	Flow Cytometry
BASOPHILS	0		%	0 - 1	Flow Cytometry
ABSOLUTE COUNT					
ABSOLUTE NEUTROPHIL COUNT	9.6	H	10 ³ /uL	1.6 - 8.25	Calculation
ABSOLUTE LYMPHOCYTE COUNT	1.8		10 ³ /uL	1.2 - 6.6	Calculation
ABSOLUTE MONOCYTE COUNT	0.3		10 ³ /uL	0.04 - 0.66	Calculation
ABSOLUTE EOSINOPHIL COUNT	0.0		10 ³ /uL	0 - 0.66	Calculation
ABSOLUTE BASOPHIL COUNT	0.0		10 ³ /uL	0 - 0.11	Calculation

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report

Page 3 of 4




JAYADEV C J
Laboratory Technologist

Printed on: 16/10/2023 20:00

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





Laboratory Investigation Report

BML286030

Name	: PUPUT API	Ref No.	:
DOB	: 03/01/2003	Sample No.	: 2310289622
Age / Gender	: 20 Y / Female	Collected	: 15/10/2023 12:00
Referred by	: DR ENOMAN	Registered	: 16/10/2023 15:00
Centre	: Peshawar Medical Center LLC	Reported	: 16/10/2023 16:52

HEMATOLOGY


Test	Result	Flag	Unit	Reference Range	Methodology
------	--------	------	------	-----------------	-------------

COMPLETE BLOOD COUNT (CBC)

Interpretation Notes : Please note update on CBC report format and changes in reference ranges.

Sample Type : EDTA Whole Blood

End of Report



Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report

Page 4 of 4

JAYADEV C J
Laboratory Technologist
Printed on: 16/10/2023 20:00

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

