


Laboratory Investigation Report



BML286022

Name : DEVIPRASAD BANTAKALLU
DOB : 04/04/1988
Age / Gender : 35 Y / Male
Referred by : DR ENOMAN
Centre : Peshawar Medical Center LLC

Ref No. :
Sample No. : 2310289610
Collected : 15/10/2023 12:00
Registered : 16/10/2023 14:49
Reported : 16/10/2023 18:03

BIOCHEMISTRY

Test	Result	Flag	Unit	Reference Range	Methodology
C-REACTIVE PROTEIN (CRP)	14.6	H	mg/L	< 5.0 Please note change in reference range.	Immunoturbidimetry

Sample Type : Serum

End of Report



Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report


Page 1 of 3

HARSHAD MANIKANDAN
Laboratory Technician

Printed on: 16/10/2023 20:09

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





BML286022

Name : DEVIPRASAD BANTAKALLU
DOB : 04/04/1988
Age / Gender : 35 Y / Male
Referred by : DR ENOMAN
Centre : Peshawar Medical Center LLC

Ref No. :
Sample No. : 2310289610
Collected : 15/10/2023 12:00
Registered : 16/10/2023 14:49
Reported : 16/10/2023 16:33

HEMATOLOGY


Test	Result	Flag	Unit	Reference Range	Methodology
COMPLETE BLOOD COUNT (CBC)					
HEMOGLOBIN	15.2		g/dL	13.5 - 17.5	Spectrophotometry (Oxyhemoglobin)
RBC COUNT	4.8		10 ⁶ /μL	4.3 - 5.7	Electrical Impedance
HEMATOCRIT	43.9		%	38 - 50	Calculation
MCV	90.7		fL	82 - 98	Calculation
MCH	31.5		pg	27 - 32	Calculation
MCHC	34.7		g/dL	32 - 37	Calculation
RDW	12.5		%	11.8 - 15.6	Calculation
RDW-SD	40.7		fL		Calculation
MPV	9.5		fL	7.6 - 10.8	Calculation
PLATELET COUNT	169		10 ³ /μL	150 - 450	Electrical Impedance
PCT	0.2		%	0.01 - 9.99	Calculation
PDW	18		Not Applicable	0.1 - 99.9	Calculation
NUCLEATED RBC (NRBC) [^]	0.0		/100 WBC		Flow Cytometry
ABSOLUTE NRBC COUNT [^]	0.0		10 ³ /uL		Calculation
EARLY GRANULOCYTE COUNT (EGC) [^]	0.8		%		Flow Cytometry
ABSOLUTE EGC [^]	0.1		10 ³ /uL		Calculation
WBC COUNT	8.1		10 ³ /μL	4 - 11	Electrical Impedance
DIFFERENTIAL COUNT (DC)					
NEUTROPHILS	74		%	40 - 75	Flow Cytometry
LYMPHOCYTES	19	L	%	20 - 45	Flow Cytometry
EOSINOPHILS	1		%	0 - 6	Flow Cytometry
MONOCYTES	6		%	1 - 6	Flow Cytometry
BASOPHILS	0		%	0 - 1	Flow Cytometry
ABSOLUTE COUNT					
ABSOLUTE NEUTROPHIL COUNT	5.9		10 ³ /uL	1.6 - 8.25	Calculation
ABSOLUTE LYMPHOCYTE COUNT	1.5		10 ³ /uL	0.8 - 4.95	Calculation
ABSOLUTE MONOCYTE COUNT	0.6		10 ³ /uL	0.04 - 0.66	Calculation
ABSOLUTE EOSINOPHIL COUNT	0.0		10 ³ /uL	0 - 0.66	Calculation
ABSOLUTE BASOPHIL COUNT	0.0		10 ³ /uL	0 - 0.11	Calculation

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report

Page 2 of 3




JAYADEV C J
Laboratory Technologist

Printed on: 16/10/2023 20:09

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





Laboratory Investigation Report

BML286022

Name	: DEVIPRASAD BANTAKALLU	Ref No.	:
DOB	: 04/04/1988	Sample No.	: 2310289610
Age / Gender	: 35 Y / Male	Collected	: 15/10/2023 12:00
Referred by	: DR ENOMAN	Registered	: 16/10/2023 14:49
Centre	: Peshawar Medical Center LLC	Reported	: 16/10/2023 16:33

HEMATOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
------	--------	------	------	-----------------	-------------

COMPLETE BLOOD COUNT (CBC)

Interpretation Notes : Please note update on CBC report format and changes in reference ranges.

Sample Type : EDTA Whole Blood

End of Report



Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report

Page 3 of 3

JAYADEV C J
Laboratory Technologist
Printed on: 16/10/2023 20:09

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

