

LABORATORY REPORT

Name	: OMNA KIZHAVARA NARAYANAN	File. No.	: AAL02-352382
DOB/Gender	: 01-01-1963 (60 Yrs 9 Month 15 Days/Female)	Referral Doctor	: Self
Lab No.	: 22232890088	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 16-10-2023 13:26	Clinic File No	: 41180
Insurance	: No		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
CRP - quant (serum)	236.68 ^H	mg/L	< 5.0	Immunoturbidimetric

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 16-10-2023 12:00:00
Authenticated On : 16-10-2023 15:52:09
Printed On : 16-10-2023 20:35:30

Received On : 16-10-2023 13:26:00
Released On : 16-10-2023 15:52:46



Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: OMNA KIZHAVARA NARAYANAN	File. No.	: AAL02-352382
DOB/Gender	: 01-01-1963 (60 Yrs 9 Month 15 Days/Female)	Referral Doctor	: Self
Lab No.	: 22232890088	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 16-10-2023 13:26	Clinic File No	: 41180
Insurance	: No		

MICROBIOLOGY/BACTERIOLOGY/BODY FLUIDS

Test Name	Result	Units	Ref. Range	Method
<u>URINE ROUTINE (URINALYSIS)</u>				
<u>PHYSICAL EXAMINATION</u>				
Color	Straw		Yellow	Light Scatter
Appearance	Clear		Clear	Light Scatter
Specific Gravity	1.007		1.005 - 1.030	Refractrometry
PH	6.00		4.6 - 8.0	Litmus reaction
Glucose	++++		Negative	Enz.Rn/Reflect
Ketone	Negative		Negative	Legal's method
Protein	Trace		Negative	Dye Binding
Blood	Trace		Negative	Peroxidase Activity/Reflectance
Bilirubin	Negative		Negative	Acidified Diazo Coupling
Urobilinogen	Normal	mg/dL	Normal 0.2 - 1.0	Buffered Diazo Coupling
Nitrite	Negative		Negative	Mod. Gries Rn
Leukocytes.	+		Negative	Enz.Rn/Reflect
<u>MICROSCOPIC EXAMINATION</u>				
Pus Cells	10 - 15	/HPF	1 - 4	F.D.I/Microscopy
RBC's	0 - 1	/HPF	0 - 2	F.D.I/Microscopy
Epithelial cells	0 - 1	/HPF	1 - 4	F.D.I/Microscopy
Bacteria	Absent	/HPF	Absent	F.D.I/Microscopy
Yeast cells	Absent	/HPF	Absent	F.D.I/Microscopy
Trichomonas Vaginalis	Absent	/HPF	Absent	F.D.I/Microscopy
Mucus Threads	Few	/HPF	Absent	F.D.I/Microscopy
Crystals	Absent	/HPF	Absent	F.D.I/Microscopy
Casts	Absent	/LPF	Absent	F.D.I/Microscopy

Bilirubin and Urobilinogen when exposed to sunlight leads to artificially low results, hence recommended to collect urine in dark container for analyzing Urine

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 16-10-2023 12:00:00
Authenticated On : 16-10-2023 15:12:33
Printed On : 16-10-2023 15:52:10

Received On : 16-10-2023 13:26:00
Released On : 16-10-2023 15:15:24
Reprinted On : 16-10-2023 20:35:30

Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822

LABORATORY REPORT

Name	: OMNA KIZHAVARA NARAYANAN	File. No.	: AAL02-352382
DOB/Gender	: 01-01-1963 (60 Yrs 9 Month 15 Days/Female)	Referral Doctor	: Self
Lab No.	: 22232890088	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 16-10-2023 13:26	Clinic File No	: 41180
Insurance	: No		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Bilirubin and Urobilinogen if clinically indicated.

Kindly note the new methodology is effective from 31-10-2022.

Remarks:

Test was rechecked. Recommended to repeat test with new sample for glucose confirmation.

Sample Type : Urine

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 16-10-2023 12:00:00
Authenticated On : 16-10-2023 15:12:33
Printed On : 16-10-2023 15:52:10

Received On : 16-10-2023 13:26:00
Released On : 16-10-2023 15:15:24
Reprinted On : 16-10-2023 20:35:30



Padmapriya Kumaresan
Sr. Technician
DHA/LS2992011/243822