


Laboratory Investigation Report



BML286758

Name : Ms. SADAF
DOB : 20/02/1985
Age / Gender : 38 Y / Female
Referred by : DR ENOMEN
Centre : Peshawar Medical Center LLC


Ref No. : 38363
Sample No. : 2310290380
Collected : 16/10/2023 20:00
Registered : 17/10/2023 16:02
Reported : 17/10/2023 19:30

BIOCHEMISTRY

Test	Result	Flag	Unit	Reference Range	Methodology
C-REACTIVE PROTEIN (CRP)	1.7		mg/L	< 5.0 Please note change in reference range.	Immunoturbidimetry

Sample Type : Serum

End of Report



Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report

Page 1 of 3

Haleem


HALEEM HAKKIM
Laboratory Technician

Printed on: 17/10/2023 19:32

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.



Laboratory Investigation Report



BML286758

Name : Ms. SADAF
DOB : 20/02/1985
Age / Gender : 38 Y / Female
Referred by : DR ENOMEN
Centre : Peshawar Medical Center LLC

Ref No. : 38363
Sample No. : 2310290380
Collected : 16/10/2023 20:00
Registered : 17/10/2023 16:02
Reported : 17/10/2023 19:17

HEMATOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
COMPLETE BLOOD COUNT (CBC)					
HEMOGLOBIN	11	L	g/dL	12 - 15.5	Spectrophotometry (Oxyhemoglobin)
RBC COUNT	4		10 ⁶ /μL	3.9 - 5	Electrical Impedance
HEMATOCRIT	33	L	%	35 - 45	Calculation
MCV	83.5		fL	82 - 98	Calculation
MCH	27.9		pg	27 - 32	Calculation
MCHC	33.4		g/dL	32 - 37	Calculation
RDW	14		%	11.9 - 15.5	Calculation
RDW-SD	41.6		fL		Calculation
MPV	10.3		fL	7.6 - 10.8	Calculation
PLATELET COUNT	273		10 ³ /μL	150 - 450	Electrical Impedance
PCT	0.3		%	0.01 - 9.99	Calculation
PDW	17.1		Not Applicable	0.1 - 99.9	Calculation
NUCLEATED RBC (NRBC) [^]	2.1		/100 WBC		Flow Cytometry
ABSOLUTE NRBC COUNT [^]	0.15		10 ³ /uL		Calculation
EARLY GRANULOCYTE COUNT (EGC) [^]	0.2		%		Flow Cytometry
ABSOLUTE EGC [^]	0.0		10 ³ /uL		Calculation
WBC COUNT	7.1		10 ³ /μL	4 - 11	Electrical Impedance
DIFFERENTIAL COUNT (DC)					
NEUTROPHILS	60		%	40 - 75	Flow Cytometry
LYMPHOCYTES	33		%	30 - 60	Flow Cytometry
EOSINOPHILS	2		%	0 - 6	Flow Cytometry
MONOCYTES	5		%	1 - 6	Flow Cytometry
BASOPHILS	0		%	0 - 1	Flow Cytometry
ABSOLUTE COUNT					
ABSOLUTE NEUTROPHIL COUNT	4.1		10 ³ /uL	1.6 - 8.25	Calculation
ABSOLUTE LYMPHOCYTE COUNT	2.1		10 ³ /uL	1.2 - 6.6	Calculation
ABSOLUTE MONOCYTE COUNT	0.5		10 ³ /uL	0.04 - 0.66	Calculation
ABSOLUTE EOSINOPHIL COUNT	0.1		10 ³ /uL	0 - 0.66	Calculation
ABSOLUTE BASOPHIL COUNT	0.1		10 ³ /uL	0 - 0.11	Calculation

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist



MOHAMMED RASHID CHENANGADATH
Laboratory Technologist

This is an electronically authenticated report


Page 2 of 3

Printed on: 17/10/2023 19:32

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.



Laboratory Investigation Report



BML286758

Name : Ms. SADAF
DOB : 20/02/1985
Age / Gender : 38 Y / Female
Referred by : DR ENOMEN
Centre : Peshawar Medical Center LLC

Ref No. : 38363
Sample No. : 2310290380
Collected : 16/10/2023 20:00
Registered : 17/10/2023 16:02
Reported : 17/10/2023 19:17

HEMATOLOGY


Test	Result	Flag	Unit	Reference Range	Methodology
------	--------	------	------	-----------------	-------------

COMPLETE BLOOD COUNT (CBC)

Interpretation Notes : Please note update on CBC report format and changes in reference ranges.

Sample Type : EDTA Whole Blood

End of Report



Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report

Page 3 of 3



MOHAMMED RASHID CHENANGADATH
Laboratory Technologist

Printed on: 17/10/2023 19:32

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

