

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبن للاعتماد طبقا لمواصفات الأيزو ١٥١٨٩ 15189 Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : DIANA SAAD

: 01-01-1992 (31 Yrs 10 Month 7 Days/Female) Referral Doctor

Lab No. : 22233010219

Request Date : 28-10-2023 17:48

Insurance : No

DOB/Gender

File. No. : AAL02-354831

Referral Clinic : Peshawar(Irham Medical Center)

: Dr. Sajid Sanaullah Khan

Clinic File No : 41271

CLINICAL DIOCUEMICEDY

CLINICAL BIOCHEMISTRY				
Test Name	Result	Units	Ref. Range	Method
ALP (serum)	74.0	U/L	46 - 122	Para-nitrophenyl Phosphate
Kindly note that the reference range is	effective from 17-01-2023.			
Phosphorus (serum)	3.3	mg/dL	2.3 - 4.7	Phosphomolybd ate
*Vitamin D, 25-OH (Total)	10.20 ^L	ng/mL	Deficiency: < 20 Insufficiency: 20 - 30 Sufficiency: 30 - 50 Optimal: 50 - 100 Excess: >100 Toxicity: >150	ECLIA

Conversion Formula: (Concentration in ng/mL) x (2.5) = nmol/L. Vitamin D3 and Vitamin D2 are the most abundant forms of Vitamin D in the body. Vitamin D3 is synthesized in the skin from 7-dehydrocholesterol in response to sunlight. The best nutrition sources of D3 are oily fish primary salmon and mackerel. Vitamin D2' nutrition sources are from some vegetables, yeast and fungi. The vegetarian diet is abundant in Vitamin D2.

Vitamin D (D3, D2 and metabolites) is converted to 25-hydroxyvitamin D in the liver. The measurement of 25-OH vitamin D concentration in the serum or plasma is the best indicator of vitamin D nutritional status.

Vitamin D deficiency is commonly treated with vitamin D2 or D3 medications. Fortified foods and nutrition supplements may contain either form. Please note Reference Range Reviewed w.ef 15/10/23.

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

H/L Collected On: 27-10-2023 09:00:00 Authenticated On: 28-10-2023 21:12:20

Printed On: 28-10-2023 22:00:52

Received On: 28-10-2023 17:49:00 Released On: 28-10-2023 21:14:15

Esmeralda Obenita

Lab Incharge

DHA/LS/2992011/ 241430

